

Licensee	Hera Resources Pty Ltd
Address	'The Peak, Burthong Road, Nymagee, NSW 2831
Environmental Protection Licence	20179
Link to Licence	http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=32372&SYSUID=1&LICID=20179
Project Approval	10_0191
Reporting Period	December 2017
Date Published	5 Mar 2018

Weather Monitoring

Hera Resources Pty Ltd (the Company), a wholly owned subsidiary of Aurelia Metals Limited, owns and operates the Hera Mine. The Company has one licenced weather station (licence point 23) associated with the mine (Figure 1). A summary of the licence conditions (Environmental Protection Licence (EPL) 20179) associated with this point is presented in Table 1.



Figure 1. Location of the licence points associated with Gold Room Stack monitoring (Licence Point 24 and Licence Point 39), blast monitoring and meteorological monitoring (Licence Point 23).

Table 1. Summary of EPL 20179 conditions associated with the licensed weather station.

Parameter	Frequency
Air Temperature (°C)	Continuous
Wind Direction (°)	Continuous
Wind Speed (m/s)	Continuous
Sigma Theta (°)	Continuous
Rainfall (mm)	Continuous
Relative Humidity (%)	Continuous

Meteorological monitoring is conducted on a continuous basis. Table 2 is a summary of the data collected by the weather station in December 2017. Figure 2 is a wind rose for the month.

Table 2. Summary of meteorological data for December 2017.

Pollutant	No. of measurements for month	Min. value	Mean value	Median value	Max. value
Air Temperature (°C)	Continuous	3.93	21.22	21.39	33.88
Wind Speed (m/s)	Continuous	0.00	2.69	2.69	13.75
Sigma Theta (°)	Continuous	3.48	20.70	16.48	100.11
Rainfall (mm)	Continuous	0.00	0.03	0.00	23.80
Relative Humidity (%)	Continuous	18.96	53.59	50.51	96.71




Figure 2. Wind rose December 2017.

Surface Water Monitoring

The Company has six licence points associated with surface waters. Four of these points are located within the Mining Lease (Figure 3) and two are located on Box creek, upstream and downstream of the mining lease (Figure 4). A summary of the licence conditions associated with these licence points is presented in Table 3.



Figure 3. Licensed surface water monitoring points located onsite.




Figure 4. Licensed surface water monitoring points located offsite. The black outline represents the mining leases.

Table 3. Summary of EPL 20179 conditions associated with licensed surface water monitoring points.

EPA ID No.	Monitoring Frequency	Limit
1, 2	Daily during discharge	
3, 4, 25, 26	During discharge	
	Pollutant	
1	Cyanide (weak acid dissociable (WAD))	10 mg/L
2	Cyanide (WAD)	20 mg/L (90 percentile limit)
		30 mg/L (max. limit)
3, 4, 25, 26 (Please note: Limits apply only to Licence Points 3 and 4.)	Aluminium	0.055 mg/L
	Arsenic	0.024 mg/L
	Boron	0.370 mg/L
	Cadmium	0.0002 mg/L
	Copper	0.0014 mg/L
	Cyanide (WAD)	0.007 mg/L
	Electrical Conductivity	1000 (µS/cm)
	Lead	0.0034 mg/L
	Manganese	1.90 mg/L
	Nickel	0.011 mg/L
	Nitrogen (total)	0.5 mg/L
	Oil and Grease	10 mg/L
	pH	6.5-8.5
	Phosphorus (total)	0.025 mg/L
	Silver	0.00005 mg/L
Total suspended solids	50 mg/L	
Zinc	0.008 mg/L	

Table 4 is a summary of the surface water quality results. The table has been colour coordinated by the licence limit that applies to each licence point. Licence Point 3, 4, 25 and 26 did not discharge for the month. An elevated WAD cyanide result was recorded at Licence Point 1 on 26 Dec 2017. The non-compliance was reported to the Environment Protection Authority 9 Jan 2018.

Table 4. Summary of surface water quality results for December 2017.

	Analytes (mg/L)																			
	WAD Cyanide				Al	As	B	Cd	Cu	EC (µS/cm)	Pb	Mn	Ni	N	Oil & Grease	pH	Ag	P	TSS	Zn
	Min.	Mean	Median	Max.																
Licence Limits	10				0.055	0.024	0.37	0.0002	0.0014	1000	0.0034	1.9	0.011	0.5	10	6.5-8.5	0.00005	0.025	50	0.008
	20 (90 Percentile)																			
	30 (max.)																			
	0.007																			
Licence Points																				
1	0	1	0	20																
2	0	0.4	0	1																
3	No flow																			
4	No flow																			
25	No flow																			
26	No flow																			

Groundwater Monitoring

The Company has 17 licence points associated with groundwater. These points are located around the Project Area (Figure 5) and are a combination of observation bores, productions bores and piezometers. A summary of the licence conditions associated with these licence points is presented in Table 5




Figure 5. Licensed groundwater and air quality monitoring points.

Table 5. Summary of EPL 20179 conditions associated with licensed groundwater monitoring points.

EPA ID No.	Monitoring Frequency
	Quarterly
	Pollutant
7, 9, 17, 19, 27, 28, 29, 30, 31, 32, 33, 40	Antimony (mg/L)
	Arsenic (mg/L)
	Bicarbonate (mg/L)
	Boron (mg/L)
	Cadmium (mg/L)
	Calcium (mg/L)
	Carbonate (mg/L)
	Chloride (mg/L)
	Chromium (mg/L)
	Copper (mg/L)
	Cyanide (free) (mg/L)
	Cyanide (total) (mg/L)
	Cyanide (WAD) (mg/L)
	Electrical Conductivity (μ S/cm)
	Iron (mg/L)
	Lead (mg/L)
	Magnesium (mg/L)
	Mercury (mg/L)
	Molybdenum (mg/L)
	Nickel (mg/L)
	pH
	Potassium (mg/L)
	Silver (mg/L)
	Sodium (mg/L)
	Tin (mg/L)
	Total dissolved solids (mg/L)
	Zinc (mg/L)
7, 27, 28, 29, 30, 34, 35, 36, 37, 38, 40	Standing Water Level (m)
EPA ID No.	Monitoring Frequency
	When water present
	Pollutant
34, 35, 36, 37, 38	Cyanide (free) (mg/L)
	Cyanide (total) (mg/L)
	Cyanide (WAD) (mg/L)
	Electrical Conductivity (μ S/cm)
	pH

Quarterly groundwater results for September 2017 are reported in Table 6. All licence points were sampled on 5 Dec 2017 except licence point 31. The Company has started utilising the services of a contractor who has missed this licence point. Licence point 31 was sampled on 6 Feb 2018 to meet the quarterly monitoring requirements.

Table 6: Summary of December 2017 groundwater quality results.

Licence Point	Analyte (mg/L)													EC (mS/cm)	
	Sb	As	HCO3-	B	Cd	Ca	CO3-2	Cl	Cr	Cu	CN- (Free)	CN- (Total)	CN- (WAD)		
7	<0.001	<0.001	702	0.43	<0.0001	191	<1	1100	<0.001	<0.001	<0.004	<0.004	<0.004	4.79	
9	0.012	0.001	669	0.72	0.0002	198	<1	1020	<0.001	0.075	<0.004	<0.004	<0.004	5.49	
17	<0.001	<0.001	678	0.47	<0.0001	213	<1	1410	<0.001	<0.001	<0.004	<0.004	<0.004	5.73	
19	<0.001	0.001	427	0.9	<0.0001	53	<1	862	<0.001	0.008	<0.004	<0.004	<0.004	3.68	
27	<0.001	<0.001	538	1.34	<0.0001	69	<1	1290	<0.001	<0.001	<0.004	<0.004	<0.004	5.66	
28	0.004	<0.001	723	0.72	<0.0001	208	<1	1030	<0.001	0.002	<0.004	<0.004	<0.004	5.57	
29	0.022	<0.001	350	0.48	0.0002	48	<1	369	<0.001	0.002	<0.004	<0.004	<0.004	2.12	
30	<0.001	0.002	640	2.03	<0.0001	76	<1	1620	<0.001	<0.001	<0.004	<0.004	<0.004	7.31	
31	<0.001	<0.001	421	0.94	<0.0001	105	<1	1300	<0.001	0.008	<0.004	<0.004	<0.004	5820	
32	<0.001	0.015	523	0.42	<0.0001	168	<1	715	<0.001	<0.001	<0.004	<0.004	<0.004	6.04	
33	0.002	0.002	681	0.92	<0.0001	217	<1	940	<0.001	<0.001	<0.004	<0.004	<0.004	4.04	
34											DRY	DRY	DRY	DRY	
35											DRY	DRY	DRY	DRY	
36											DRY	DRY	DRY	DRY	
37											DRY	DRY	DRY	DRY	
38											DRY	DRY	DRY	DRY	
40	<0.001	<0.001	682	0.53	<0.0001	196	<1	1200	<0.001	0.002	<0.004	<0.004	<0.004	5.12	
	Analyte (mg/L)													SWL (m)	
	Fe	Pb	Mg	Hg	Mo	Ni	pH	K	Ag	Na	Sn	TDS	Zn		
7	1.52	0.082	169	<0.0001	<0.001	<0.001	7.2	15	<0.001	557	<0.001	3150	0.005	52.91	
9	<0.05	0.004	232	<0.0001	<0.001	0.024	7.51	29	<0.001	683	<0.001	3930	0.933		
17	1.89	0.008	226	<0.0001	<0.001	<0.001	7.44	15	<0.001	704	<0.001	3950	0.01		
19	0.31	0.005	86	<0.0001	<0.001	<0.001	8.42	28	<0.001	602	<0.001	2290	0.032		
27	1.13	0.043	135	<0.0001	0.002	0.001	7.26	37	<0.001	922	<0.001	2840	0.009	54.21	
28	8.13	0.125	229	<0.0001	<0.001	0.005	7.32	30	<0.001	650	<0.001	3750	0.284	84.3	
29	0.43	0.024	59	<0.0001	0.002	0.002	7.71	14	<0.001	313	<0.001	1300	0.107	63.3	
30	1.47	0.112	108	<0.0001	0.002	0.002	7.42	36	<0.001	1410	<0.001	4250	<0.005	59.79	
31	0.07	0.003	144	<0.0001	0.001	0.003	8	33	<0.001	960	<0.001	3640	0.063		
32	4.21	0.018	181	<0.0001	<0.001	0.005	7.23	22	<0.001	453	<0.001	2760	0.093		
33	2.42	0.003	225	<0.0001	<0.001	0.009	6.88	32	<0.001	820	<0.001	4500	0.558		
34											DRY				
35											DRY				
36											DRY				
37											DRY				
38											DRY				
40	0.55	0.008	191	<0.0001	<0.001	0.002	7.43	16	<0.001	648	<0.001	2610	0.02	53.77	

Noise Monitoring

The Company has four licenced monitoring points (R1, R2, R3 and R4) located along the Burthong Road (Figure 6). The locations are strategically placed near the Hera Mine's nearest neighbours. R1 and R2 are measured from the same point as both neighbours are located in very close proximity to each other. A summary of the EPL and Project Approval (PA) conditions associated with these licenced points is presented in Table 7.



Figure 6. Licensed noise monitoring locations. The black outline represents the approximate project area.

Table 7. Summary of EPL 20179 conditions associated with noise monitoring.

Location	Pollutant - Noise	Limits
R1, R2, R3, R4	Monday to Friday - 0700 hours (hrs) to 1800 hrs	LAeq (15 minute) 35 decibels (dB)
	Monday to Friday - 1800 hrs to 2200 hrs	LAeq (15 minute) 35 dB
	All other times	LAeq (15 minute) 35 dB
		LA1 (1 minute) 45 dB

An independent consultant (EMM Consultants) was engaged to conduct a noise assessment in July 2017. The results were reported in the July 2017 Environment Report.

Blast Monitoring

The blast monitor is located adjacent to the dwelling on the nearest neighbour's property (Figure 1). A summary of the EPL and PA conditions associated with this licenced point are presented in Table 8.

Table 8. Summary of EPL 20179 and PA 10_0191 conditions associated with blast monitoring.

Location	Pollutant	Time Period	Limits
Blast monitoring	Ground vibration	All times	10 mm/s (max.)
	<i>(monitor for every blast)</i>	Day	5 mm/s (95% of total blasts)
		Evening	2 mm/s (95% of total blasts)
		Night and all day on Sundays and Public Holidays	1 mm/s (max.)
	Airblast overpressure	All times	120 dB (max.)
	<i>(monitor for every blast)</i>	All times	115 dB (95% of total blasts)

The Company conducted a total of 122 blasts in December 2017. The characteristics of each blast are presented in Table 9. No exceedances were recorded for the month.

Table 9. Summary of blast monitoring results for December 2017.

Date	Time	Time period	Vibration (mm/s)	Overpressure (dB)
Friday, 1 December 2017	6:50	Night	<0.35	
Friday, 1 December 2017	6:50	Night	<0.35	
Friday, 1 December 2017	6:50	Night	<0.35	
Friday, 1 December 2017	18:45	Evening	<0.35	
Saturday, 2 December 2017	6:50	Night	<0.35	
Saturday, 2 December 2017	6:50	Night	<0.35	
Saturday, 2 December 2017	6:50	Night	<0.35	
Saturday, 2 December 2017	19:00	Evening	<0.35	
Sunday, 3 December 2017	6:50	Sunday	<0.35	
Sunday, 3 December 2017	6:50	Sunday	<0.35	
Sunday, 3 December 2017	6:50	Sunday	<0.35	
Sunday, 3 December 2017	18:45	Sunday	<0.35	
Sunday, 3 December 2017	18:45	Sunday	<0.35	
Monday, 4 December 2017	6:55	Night	<0.35	
Monday, 4 December 2017	6:55	Night	<0.35	
Monday, 4 December 2017	6:55	Night	<0.35	
Monday, 4 December 2017	6:55	Night	<0.35	
Tuesday, 5 December 2017	6:45	Night	<0.35	
Tuesday, 5 December 2017	6:45	Night	<0.35	
Wednesday, 6 December 2017	6:40	Night	<0.35	
Wednesday, 6 December 2017	6:40	Night	<0.35	
Wednesday, 6 December 2017	6:40	Night	<0.35	
Wednesday, 6 December 2017	6:40	Night	<0.35	
Wednesday, 6 December 2017	7:00	Day	<0.35	
Wednesday, 6 December 2017	18:55	Evening	<0.35	
Thursday, 7 December 2017	6:40	Night	<0.35	
Thursday, 7 December 2017	6:40	Night	<0.35	
Thursday, 7 December 2017	18:45	Evening	<0.35	
Thursday, 7 December 2017	18:45	Evening	<0.35	
Friday, 8 December 2017	6:45	Night	<0.35	
Friday, 8 December 2017	6:45	Night	<0.35	
Friday, 8 December 2017	18:40	Evening	<0.35	
Friday, 8 December 2017	18:40	Evening	<0.35	
Saturday, 9 December 2017	6:45	Night	<0.35	
Saturday, 9 December 2017	6:45	Night	<0.35	
Saturday, 9 December 2017	18:45	Evening	<0.35	
Saturday, 9 December 2017	18:45	Evening	0.508	98.80
Saturday, 9 December 2017	18:45	Evening	0.508	98.80
Sunday, 10 December 2017	6:45	Sunday	<0.35	
Sunday, 10 December 2017	6:45	Sunday	<0.35	
Sunday, 10 December 2017	18:56	Sunday	<0.35	
Sunday, 10 December 2017	18:56	Sunday	<0.35	
Monday, 11 December 2017	6:45	Night	<0.35	
Tuesday, 12 December 2017	6:30	Night	<0.35	

Tuesday, 12 December 2017	6:30	Night	<0.35	
Tuesday, 12 December 2017	6:30	Night	<0.35	
Tuesday, 12 December 2017	6:30	Night	<0.35	
Tuesday, 12 December 2017	18:35	Evening	<0.35	
Tuesday, 12 December 2017	18:35	Evening	<0.35	
Wednesday, 13 December 2017	6:50	Night	<0.35	
Wednesday, 13 December 2017	6:50	Night	<0.35	
Thursday, 14 December 2017	7:10	Day	<0.35	
Thursday, 14 December 2017	7:10	Day	<0.35	
Thursday, 14 December 2017	18:35	Evening	<0.35	
Friday, 15 December 2017	6:36	Night	<0.35	
Friday, 15 December 2017	6:36	Night	<0.35	
Friday, 15 December 2017	18:37	Evening	<0.35	
Saturday, 16 December 2017	6:56	Night	<0.35	
Saturday, 16 December 2017	6:56	Night	<0.35	
Saturday, 16 December 2017	6:56	Night	<0.35	
Saturday, 16 December 2017	18:45	Evening	<0.35	
Sunday, 17 December 2017	18:33	Sunday	<0.35	
Monday, 18 December 2017	6:40	Night	<0.35	
Monday, 18 December 2017	6:40	Night	<0.35	
Monday, 18 December 2017	6:40	Night	<0.35	
Monday, 18 December 2017	19:00	Evening	<0.35	
Monday, 18 December 2017	19:00	Evening	<0.35	
Monday, 18 December 2017	19:00	Evening	<0.35	
Monday, 18 December 2017	19:00	Evening	<0.35	
Wednesday, 20 December 2017	6:35	Night	<0.35	
Wednesday, 20 December 2017	6:35	Night	<0.35	
Wednesday, 20 December 2017	6:35	Night	<0.35	
Wednesday, 20 December 2017	6:35	Night	<0.35	
Wednesday, 20 December 2017	18:58	Evening	<0.35	
Thursday, 21 December 2017	6:50	Night	<0.35	
Thursday, 21 December 2017	6:50	Night	<0.35	
Thursday, 21 December 2017	18:50	Evening	<0.35	
Thursday, 21 December 2017	18:50	Evening	<0.35	
Thursday, 21 December 2017	18:50	Evening	<0.35	
Friday, 22 December 2017	7:00	Day	<0.35	
Friday, 22 December 2017	7:00	Day	<0.35	
Friday, 22 December 2017	7:00	Day	<0.35	
Friday, 22 December 2017	19:55	Evening	<0.35	
Friday, 22 December 2017	19:55	Evening	<0.35	
Friday, 22 December 2017	19:55	Evening	<0.35	
Saturday, 23 December 2017	6:45	Night	<0.35	
Saturday, 23 December 2017	6:45	Night	<0.35	
Saturday, 23 December 2017	19:05	Evening	<0.35	
Saturday, 23 December 2017	19:05	Evening	<0.35	
Sunday, 24 December 2017	6:45	Sunday	<0.35	

Sunday, 24 December 2017	6:45	Sunday	<0.35	
Sunday, 24 December 2017	19:10	Sunday	<0.35	
Sunday, 24 December 2017	19:10	Sunday	<0.35	
Monday, 25 December 2017	6:50	Public Holiday	<0.35	
Monday, 25 December 2017	6:50	Public Holiday	<0.35	
Tuesday, 26 December 2017	6:50	Public Holiday	<0.35	
Tuesday, 26 December 2017	6:50	Public Holiday	<0.35	
Tuesday, 26 December 2017	6:50	Public Holiday	<0.35	
Tuesday, 26 December 2017	18:45	Public Holiday	<0.35	
Tuesday, 26 December 2017	18:45	Public Holiday	<0.35	
Tuesday, 26 December 2017	18:45	Public Holiday	<0.35	
Wednesday, 27 December 2017	6:45	Night	<0.35	
Wednesday, 27 December 2017	6:45	Night	<0.35	
Wednesday, 27 December 2017	6:50	Night	<0.35	
Thursday, 28 December 2017	18:45	Evening	<0.35	
Thursday, 28 December 2017	18:45	Evening	<0.35	
Thursday, 28 December 2017	18:45	Evening	<0.35	
Thursday, 28 December 2017	19:05	Evening	<0.35	
Friday, 29 December 2017	6:50	Night	<0.35	
Friday, 29 December 2017	6:50	Night	<0.35	
Friday, 29 December 2017	6:50	Night	<0.35	
Friday, 29 December 2017	18:50	Evening	<0.35	
Saturday, 30 December 2017	6:50	Night	<0.35	
Saturday, 30 December 2017	6:50	Night	<0.35	
Saturday, 30 December 2017	6:50	Night	<0.35	
Saturday, 30 December 2017	18:55	Evening	<0.35	
Sunday, 31 December 2017	1:15	Sunday	<0.35	
Sunday, 31 December 2017	1:15	Sunday	<0.35	
Sunday, 31 December 2017	1:15	Sunday	<0.35	
Sunday, 31 December 2017	6:50	Sunday	<0.35	
Sunday, 31 December 2017	6:50	Sunday	<0.35	
Sunday, 31 December 2017	6:50	Sunday	<0.35	

Air Quality Monitoring

The Company has two High Volume Air Samplers (HVAS), designed to sample Particulate matter less than 10 μm (PM_{10}) or Total Suspended Particulate (TSP) matter and two Dust Deposition Gauges (DDG). Refer to Figure 5 for location of the sampling points. A summary of the PA conditions associated with these monitoring points is presented in Table 10.

Table 10. Summary of Project Approval conditions associated with dust monitoring.

Pollutant	Averaging Period	Limits
TSP	Annual	90 $\mu\text{g}/\text{m}^3$
PM_{10}	Annual	30 $\mu\text{g}/\text{m}^3$
PM_{10}	24 Hour	50 $\mu\text{g}/\text{m}^3$
Deposited Dust	Annual	2 $\text{g}/\text{m}^2/\text{month}$ (Max. increase)
	Annual	4 $\text{g}/\text{m}^2/\text{month}$ (Max. total)

Results for air quality monitoring conducted in December 2017 have been summarised in Table 11. All results were within licence conditions.

Table 11. Summary of air quality monitoring results for December 2017.

Pollutant	Unit	Limit	Averaging Period	Result
TSP	$\mu\text{g}/\text{m}^3$	90	Annual	40.88
PM_{10} ($\mu\text{g}/\text{m}^3$)	$\mu\text{g}/\text{m}^3$	30	Annual	19.62
	$\mu\text{g}/\text{m}^3$	50	2/12/2017	7.00
	$\mu\text{g}/\text{m}^3$	50	8/12/2017	13.00
	$\mu\text{g}/\text{m}^3$	50	14/12/2017	31.00
	$\mu\text{g}/\text{m}^3$	50	20/12/2017	38.00
	$\mu\text{g}/\text{m}^3$	50	26/12/2017	36.00
Deposited Dust (DDG1)	$\text{g}/\text{m}^2/\text{month}$	4	Annual	2.04
Deposited Dust (DDG2)	$\text{g}/\text{m}^2/\text{month}$	4	Annual	2.20

Gold Room Stack Monitoring

The Company has two licenced gold room stack monitoring points (Figure 1). A summary of the licence conditions associated with this licence point is presented in Table 12.

Table 12. Summary of EPL 20179 conditions associated with gold room stack monitoring.

EPA ID No.	Monitoring Frequency
24	Yearly
39	
Pollutant	
Nitric Oxide (mg/m^3)	

Gold Room stack monitoring is conducted on an annual basis. The results from this monitoring were reported in August 2017.

Concentrate Transport

The Company is licenced to transport 50,000 tpa of lead/zinc concentrate during daylight hours. The company is limited to eight truck movements per day (entering and leaving the site) averaged over a calendar month (Table 13).

Table 13. Summary of the concentrate truck movements from the Hera Mine to Hermidale rail siding for the month.

Date	Time	Dry Tonnes
1/12/2017	07:00:00	49.37
1/12/2017	07:59:00	49.12
1/12/2017	08:30:00	49.31
1/12/2017	10:00:00	48.98
1/12/2017	11:45:00	49.05
1/12/2017	12:30:00	48.89
1/12/2017	13:15:00	49.40
1/12/2017	14:00:00	49.02
4/12/2017	09:00:00	48.79
5/12/2017	18:00:00	49.13
6/12/2017	07:00:00	48.49
6/12/2017	10:17:00	48.67
6/12/2017	12:00:00	48.86
6/12/2017	13:17:00	48.96
6/12/2017	14:45:00	48.19
6/12/2017	15:15:00	48.65
8/12/2017	10:45:00	49.10
8/12/2017	15:00:00	47.72
8/12/2017	16:00:00	49.33
10/12/2017	18:30:00	49.21
12/12/2017	10:00:00	50.03
12/12/2017	10:30:00	51.52
12/12/2017	11:00:00	49.07
12/12/2017	12:30:00	49.42
13/12/2017	12:00:00	50.48
13/12/2017	12:30:00	48.42
13/12/2017	13:45:00	48.54
13/12/2017	18:30:00	49.43
14/12/2017	18:45:00	48.60
15/12/2017	17:30:00	48.86
15/12/2017	18:00:00	48.72
18/12/2017	09:00:00	48.11
19/12/2017	11:00:00	49.22
19/12/2017	11:30:00	50.13
19/12/2017	12:56:00	50.16
19/12/2017	12:58:00	48.42
19/12/2017	15:30:00	48.99

19/12/2017	16:10:00	49.14
21/12/2017	10:30:00	49.25
21/12/2017	11:45:00	49.53
21/12/2017	13:25:00	49.46
21/12/2017	14:15:00	49.56
21/12/2017	14:20:00	49.37
21/12/2017	16:30:00	49.54
21/12/2017	18:45:00	48.76
22/12/2017	14:30:00	50.48
22/12/2017	17:30:00	53.23
23/12/2017	14:30:00	49.74
23/12/2017	15:15:00	49.45
27/12/2017	14:20:00	48.76
27/12/2017	17:30:00	48.65
28/12/2017	07:10:00	48.62
28/12/2017	10:15:00	48.60
Average Truck Movements per day		1.71
Total Tonnes		2,608

Complaints

No complaints were received this month.