

<b>Licensee</b>	Hera Resources Pty Ltd
<b>Address</b>	'The Peak, Burthong Road, Nymagee, NSW 2831
<b>Environmental Protection Licence</b>	20179
<b>Link to Licence</b>	<a href="http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOlicence.aspx?DOCID=32372&amp;SYSUID=1&amp;LICID=20189">http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOlicence.aspx?DOCID=32372&amp;SYSUID=1&amp;LICID=20189</a>
<b>Project Approval</b>	10_0191
<b>Reporting Period</b>	February 2021
<b>Date Published</b>	10 May 2021

## Weather Monitoring

Hera Resources Pty Ltd (the Company), a wholly owned subsidiary of Aurelia Metals Limited, owns and operates the Hera Mine. The Company has one licenced weather station (licence point 23) associated with the mine (Figure 1). A summary of the licence conditions (Environmental Protection Licence (EPL) 20189) associated with this point is presented in Table 1.



**Figure 1.** Location of the licence points associated with Gold Room Stack monitoring (Licence Point 24 and Licence Point 39), meteorological monitoring (Licence Point 23).


**Table 1.** Summary of EPL 20189 conditions associated with the licensed weather station.

Parameter	Frequency
Air Temperature (°C)	Continuous
Wind Direction (°)	Continuous
Wind Speed (m/s)	Continuous
Sigma Theta (°)	Continuous
Rainfall (mm)	Continuous
Relative Humidity (%)	Continuous

Meteorological monitoring is conducted on a continuous basis. Table 2 is a summary of the data collected by the weather station this month. Figure 2 is a wind rose for the month.

**Table 2.** Summary of meteorological data for the month.

Parameter	No. of measurements for month	Min. value	Mean value	Median value	Max. value	Total
Air Temperature (°C)	Continuous	6.82	23.45	30.31	42.41	
Wind Speed (m/s)	Continuous	0.00	2.35	2.37	8.72	
Sigma Theta (°)	Continuous	2.20	20.62	16.01	94.33	
Rainfall (mm)	Continuous	0.00	0.01	0.00	12.20	59.20
Relative Humidity (%)	Continuous	4.35	54.91	50.93	98.38	




**Figure 2.** Wind rose for the month.

## Surface Water Monitoring

The Company has six licence points associated with surface waters. Four of these points are located within the Mining Lease (Figure 3) and two are located on Box creek, upstream and downstream of the mining lease (Figure 4). A summary of the licence conditions associated with these licence points is presented in Table 3.



Figure 3. Licensed surface water monitoring points located onsite.



**Figure 4.** Licensed surface water monitoring points located offsite. The black outline represents the mining leases.

**Table 3.** Summary of EPL 20189 conditions associated with licensed surface water monitoring points.

EPA ID No.	Monitoring Frequency	Limit
1, 2	Daily during discharge	
3, 4, 25, 26	During discharge	
	Pollutant	
1	Cyanide (weak acid dissociable (WAD))	10 mg/L
2	Cyanide (WAD)	20 mg/L (90 percentile limit)
		30 mg/L (max. limit)
3, 4, 25, 26 (Please note: Limits apply only to Licence Points 3 and 4.)	Aluminium	0.055 mg/L
	Arsenic	0.024 mg/L
	Boron	0.370 mg/L
	Cadmium	0.0002 mg/L
	Copper	0.0014 mg/L
	Cyanide (WAD)	0.007 mg/L
	Electrical Conductivity	1000 (µS/cm)
	Lead	0.0034 mg/L
	Manganese	1.90 mg/L
	Nickel	0.011 mg/L
	Nitrogen (total)	0.5 mg/L
	Oil and Grease	10 mg/L
	pH	6.5-8.5
	Phosphorus (total)	0.025 mg/L
	Silver	0.00005 mg/L
Total suspended solids	50 mg/L	
Zinc	0.008 mg/L	

Table 4 is a summary of the surface water quality results. The table has been colour coordinated by the licence limit that applies to each licence point. Licence Point 3, 4, 25 and 26 did not discharge for the month. No exceedances were recorded this month.

	Analytes (mg/L)																			
	WAD Cyanide				Al	As	B	Cd	Cu	EC (µS/cm)	Pb	Mn	Ni	N	Oil & Grease	pH	Ag	P	TSS	Zn
	Min.	Mean	Median	Max.																
Licence Limits	10				0.055	0.024	0.37	0.0002	0.0014	1000	0.0034	1.9	0.011	0.5	10	6.5-8.5	0.00005	0.025	50	0.008
	20 (90 Percentile)																			
	30 (max.)																			
	0																			
Licence Points																				
1	0	0.00	0	0																
2	0	0.00	0	0																
3	No flow																			
4	No flow																			
25	No flow																			
26	No flow																			

**Table 4.** Summary of surface water quality results for the month.

## Groundwater Monitoring

The Company has 17 licence points associated with groundwater. These points are located around the Project Area (Figure 5) and are a combination of observation bores, productions bores and piezometers. A summary of the licence conditions associated with these licence points is presented in Table 5.




Figure 5. Licensed groundwater and air quality monitoring points.

**Table 5.** Summary of EPL 20189 conditions associated with licensed groundwater monitoring points.

EPA ID No.	Monitoring Frequency
	Quarterly
	Pollutant
7, 9, 17, 19, 27, 28, 29, 30, 31, 32, 33, 40	Antimony (mg/L)
	Arsenic (mg/L)
	Bicarbonate (mg/L)
	Boron (mg/L)
	Cadmium (mg/L)
	Calcium (mg/L)
	Carbonate (mg/L)
	Chloride (mg/L)
	Chromium (mg/L)
	Copper (mg/L)
	Cyanide (free) (mg/L)
	Cyanide (total) (mg/L)
	Cyanide (WAD) (mg/L)
	Electrical Conductivity (µS/cm)
	Iron (mg/L)
	Lead (mg/L)
	Magnesium (mg/L)
	Mercury (mg/L)
	Molybdenum (mg/L)
	Nickel (mg/L)
	pH
	Potassium (mg/L)
	Silver (mg/L)
	Sodium (mg/L)
	Tin (mg/L)
	Total dissolved solids (mg/L)
	Zinc (mg/L)
7, 27, 28, 29, 30, 34, 35, 36, 37, 38, 40	Standing Water Level (m)
EPA ID No.	Monitoring Frequency
	When water present
	Pollutant
34, 35, 36, 37, 38	Cyanide (free) (mg/L)
	Cyanide (total) (mg/L)
	Cyanide (WAD) (mg/L)
	Electrical Conductivity (µS/cm)
	pH

Quarterly groundwater results are presented in Table 6. Monitoring is conducted quarterly. Monitoring was not carried out this month. Next quarterly sampling will be carried out in March 2021.




**Table 6. Ground Water Monitoring**

Licence Point	Analyte (mg/L)													EC (mS/cm)					
	Sb	As	HCO3-	B	Cd	Ca	CO3-2	Cl	Cr	Cu	CN- (Free)	CN- (Total)	CN- (WAD)						
7																			
9																			
17																			
19																			
27																			
28																			
29																			
30																			
31																			
32																			
33																			
34																			
35																			
36																			
37																			
38																			
40																			
	Analyte (mg/L)													SWL (m)					
	Fe	Pb	Mg	Hg	Mo	Ni	pH	K	Ag	Na	Sn*	TDS	Zn						
7																			
9																			
17																			
19																			
27																			
28																			
29																			
30																			
31																			
32																			
33																			
34																			
35																			
36																			
37																			
38																			
40																			

## Noise Monitoring

The Company has four licenced monitoring points (R1, R2, R3 and R4) located along the Burthong Road (Figure 6). The locations are strategically placed near the Hera Mine’s nearest neighbours. R1 and R2 are measured from the same point as both neighbours are located in very close proximity to each other. A summary of the EPL and Project Approval (PA) conditions associated with these licenced points is presented in Table 7.



**Figure 6.** Licenced noise monitoring locations. The black outline represents the Mining Lease areas.

**Table 7.** Summary of EPL 20189 conditions associated with noise monitoring.

Location	Pollutant - Noise	Limits
R1, R2, R3, R4	Monday to Friday - 0700 hours (hrs) to 1800 hrs	LAeq (15 minute) 35 decibels (dB)
	Monday to Friday - 1800 hrs to 2200 hrs	LAeq (15 minute) 35 dB
	All other times	LAeq (15 minute) 35 dB
		LA1 (1 minute) 45 dB

A noise assessment was carried out on 3 and 4 August 2020. The site was found to be fully compliant. The next annual noise monitoring is due to be undertaken in May 2021.

## Blast Monitoring

The blast monitor is located adjacent to the dwelling on the nearest neighbour’s property (Figure 1). A summary of the EPL and PA conditions associated with this licenced point are presented in Table 8.

**Table 8.** Summary of EPL 20189 and PA 10\_0191 conditions associated with blast monitoring.

Location	Pollutant	Time Period	Limits
Blast monitoring	Ground vibration	All times	10 mm/s (max.)
	<i>(monitor for every blast)</i>	Day	5 mm/s (95% of total blasts)
		Evening	2 mm/s (95% of total blasts)
		Night and all day on Sundays and Public Holidays	1 mm/s (max.)
	Airblast overpressure	All times	120 dB (max.)
	<i>(monitor for every blast)</i>	All times	115 dB (95% of total blasts)

The Company conducted a total of 65 blasts this month with the blast schedule undertaken at the beginning and end of the shift change, which is 6:30am and 6:30pm. The characteristics of each blast are presented in Table 9.

**Table 9.** Summary of blast monitoring results for the month.

Date	Time	Time period	Vibration (mm/s)	Overpressure (dB)
01/02/2021	00:04:00	NIGHT	0.55	78.6
01/02/2021	06:50:00	NIGHT	0.25	73.1
01/02/2021	18:32:15	EVENING	0.29	96.5
02/02/2021	18:49:45	EVENING	0.33	90.5
03/02/2021	18:46:10	EVENING	0.43	78.1
04/02/2021	06:43:00	NIGHT	0.15	74.8
05/02/2021	06:55:10	NIGHT	0.22	79.6
05/02/2021	18:36:35	EVENING	0.38	101.3
06/02/2021	06:47:05	NIGHT	0.20	74.8
06/02/2021	18:54:08	EVENING	0.60	95.2
07/02/2021	06:49:10	Sunday	0.15	75.6
07/02/2021	06:49:10	Sunday	0.15	75.6
08/02/2021	08:24:49	DAY	0.14	82.3
08/02/2021	18:43:10	EVENING	0.40	74.8
09/02/2021	06:53:15	NIGHT	0.18	75.6
10/02/2021	06:48:35	NIGHT	0.22	78.1
10/02/2021	06:58:30	NIGHT	0.23	93.8
10/02/2021	13:36:20	DAY	0.40	91.0
10/02/2021	18:45:00	EVENING	0.42	80.8
11/02/2021	18:45:00	EVENING	0.46	94.6
12/02/2021	06:44:55	NIGHT	0.29	74.8
12/02/2021	18:47:10	EVENING	0.27	74.8
12/02/2021	18:47:10	EVENING	0.27	74.8
13/02/2021	13:35:35	DAY	0.38	93.8
13/02/2021	18:55:10	EVENING	0.32	97.1
14/02/2021	01:41:00	Sunday	0.16	75.6
15/02/2021	18:43:08	EVENING	0.53	88.5
15/02/2021	18:43:08	EVENING	0.53	88.5

15/02/2021	18:43:08	EVENING	0.53	88.5
16/02/2021	18:58:20	EVENING	0.41	83.2
18/02/2021	07:27:10	DAY	0.16	74.8
18/02/2021	07:27:10	DAY	0.16	74.8
18/02/2021	14:12:37	DAY	0.50	75.6
18/02/2021	18:58:37	EVENING	0.39	81.2
18/02/2021	18:58:37	EVENING	0.39	81.2
19/02/2021	18:34:18	EVENING	0.63	73.1
19/02/2021	18:34:18	EVENING	0.63	73.1
20/02/2021	06:37:50	NIGHT	0.21	74.8
20/02/2021	06:37:52	NIGHT	0.21	74.8
21/02/2021	19:12:30	Sunday	0.54	87.4
22/02/2021	06:48:33	NIGHT	0.20	73.1
22/02/2021	06:48:33	NIGHT	0.20	73.1
23/02/2021	07:15:00	DAY	0.14	84.3
23/02/2021	07:17:00	DAY	0.13	81.2
24/02/2021	06:45:00	NIGHT	0.07	75.6
24/02/2021	06:45:00	NIGHT	0.07	75.6
25/02/2021	18:53:45	EVENING	0.58	78.1
26/02/2021	02:35:00	NIGHT	0.16	75.6
27/02/2021	01:53:20	NIGHT	0.25	74.8
27/02/2021	06:45:45	NIGHT	0.20	73.1
28/02/2021	07:04:08	Sunday	0.76	83.8
28/02/2021	19:04:10	Sunday	0.44	74.8
28/02/2021	19:04:10	Sunday	0.44	74.8

## Air Quality Monitoring

The Company has two High Volume Air Samplers (HVAS), designed to sample Particulate matter less than 10 µm (PM<sub>10</sub>) or Total Suspended Particulate (TSP) matter and two Dust Deposition Gauges (DDG). Refer to Figure 5 for location of the sampling points. A summary of the PA conditions associated with these monitoring points is presented in Table 10.

**Table 10.** Summary of Project Approval conditions associated with dust monitoring.

Pollutant	Averaging Period	Limits
TSP	Annual	90 µg/m <sup>3</sup>
PM <sub>10</sub>	Annual	25 µg/m <sup>3</sup>
PM <sub>10</sub>	24 Hour	50 µg/m <sup>3</sup>
Deposited Dust	Annual	2 g/m <sup>2</sup> /month (Max. increase)
	Annual	4 g/m <sup>2</sup> /month (Max. total)

Results for air quality monitoring conducted this month have been summarised in Table 11. No exceedances were recorded.

**Table 11.** Summary of air quality monitoring results for the month.

Pollutant	Unit	Limit	Averaging Period	Result
TSP	µg/m <sup>3</sup>	90	Annual	35.27
PM-10 (µg/m <sup>3</sup> )	µg/m <sup>3</sup>	25	Annual	14.28
2/02/2021	µg/m <sup>3</sup>	50	24 hour	11.80
8/02/2021	µg/m <sup>3</sup>	50	24 hour	12.60
16/02/2021	µg/m <sup>3</sup>	50	24 hour	13.20
20/02/2021	µg/m <sup>3</sup>	50	24 hour	9.30
26/02/2021	µg/m <sup>3</sup>	50	24 hour	32.50
Deposited Dust (DDG1)	g/m <sup>2</sup> /month	4	Annual	2.08
Deposited Dust (DDG2)	g/m <sup>2</sup> /month	4	Annual	2.94

## Gold Room Stack Monitoring

The Company has two licenced gold room stack monitoring points (Figure 1). A summary of the licence conditions associated with this licence point is presented in Table 12.

**Table 12.** Summary of EPL 20189 conditions associated with gold room stack monitoring.

EPA ID No.	Monitoring Frequency
24	Yearly
39	
Pollutant	
Nitric Oxide (mg/m <sup>3</sup> )	

Gold Room stack monitoring is conducted on an annual basis. Table 13 is a summary of the annual monitoring which was conducted on 1 September 2020. On 1 September 2020 the EPA ID 24 – Gold Room Scrubber Stack recorded a Mercury result of 0.26 mg/m<sup>3</sup>, which is in exceedance of the Group 6 standard of concentration limit of 0.2 mg/m<sup>3</sup>. The Mercury exceedance is believed to be a water droplet caught by monitoring equipment during sampling. No impacts on neighbouring properties were observed. The next annual monitoring is due to be undertaken in June 2021.

**Table 13.** Summary of gold room stack monitoring conducted in September 2020.

EPA ID No.	Nitric Oxide (mg/m <sup>3</sup> )
24	4.7
39	4.6

## Concentrate Transport

The Company is licenced to transport 60,000 tonnes of lead/zinc concentrate from site averaged over a calendar year and during daylight hours only. The company is limited to eight truck movements per day averaged over a calendar month (two truck movements is defined as entering and leaving the site). A summary of concentrate haulage operations is presented in Table 14.

**Table 14.** Summary of the concentrate truck movements from the Hera Mine to Hermidale rail siding for the month.

Date	Load Time	Truck Dry Tonnes
02-Feb-21	16:15:00	48.60
02-Feb-21	13:20:00	48.64
02-Feb-21	10:00:00	48.64
03-Feb-21	13:30:00	48.62
04-Feb-21	13:45:00	48.89
04-Feb-21	13:35:00	48.80
04-Feb-21	10:35:00	48.62
04-Feb-21	06:45:00	48.60
05-Feb-21	14:25:00	48.60
05-Feb-21	11:25:00	48.60
05-Feb-21	10:30:00	48.12
05-Feb-21	08:30:00	48.60
05-Feb-21	08:00:00	48.92
13-Feb-21	16:45:00	48.62
13-Feb-21	14:00:00	48.62
13-Feb-21	10:30:00	48.62
14-Feb-21	13:10:00	48.65
14-Feb-21	10:15:00	48.65
14-Feb-21	07:50:00	48.58
14-Feb-21	07:00:00	48.62
15-Feb-21	14:30:00	48.76
15-Feb-21	13:50:00	48.53
15-Feb-21	11:10:00	48.78
15-Feb-21	10:30:00	48.62
15-Feb-21	09:45:00	48.60
15-Feb-21	06:50:00	48.60
15-Feb-21	06:30:00	48.60
17-Feb-21	14:45:00	48.60
17-Feb-21	11:46:00	48.67
17-Feb-21	07:40:00	48.60
17-Feb-21	07:10:00	48.60
18-Feb-21	15:20:00	48.60
18-Feb-21	12:15:00	48.29
18-Feb-21	11:35:00	48.58
18-Feb-21	09:16:00	48.64
18-Feb-21	08:20:00	48.69
18-Feb-21	06:15:00	48.65
19-Feb-21	09:30:00	48.22
19-Feb-21	08:55:00	49.10
19-Feb-21	07:45:00	48.56
27-Feb-21	15:30:00	48.65

27-Feb-21	13:30:00	48.62
28-Feb-21	15:50:00	48.64
28-Feb-21	12:40:00	48.67
28-Feb-21	09:30:00	48.65
<b>Total Tonnes</b>		<b>2188.13</b>
<b>Average Truck Movements per day</b>		<b>3.21</b>

## Complaints

No complaints were received this month, presented in Table 15.

**Table 15.** Summary of the complaints received this month

Date	Complaint category
	Nil