

<b>Licensee</b>	Hera Resources Pty Ltd
<b>Address</b>	'The Peak, Burthong Road, Nymagee, NSW 2831
<b>Environmental Protection Licence</b>	20179
<b>Link to Licence</b>	<a href="http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=32372&amp;SYSUID=1&amp;LICID=20189">http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=32372&amp;SYSUID=1&amp;LICID=20189</a>
<b>Project Approval</b>	10_0191
<b>Reporting Period</b>	March 2018
<b>Date Published</b>	25 May 2018

## Weather Monitoring

Hera Resources Pty Ltd (the Company), a wholly owned subsidiary of Aurelia Metals Limited, owns and operates the Hera Mine. The Company has one licenced weather station (licence point 23) associated with the mine (Figure 1). A summary of the licence conditions (Environmental Protection Licence (EPL) 20189) associated with this point is presented in Table 1.



**Figure 1.** Location of the licence points associated with Gold Room Stack monitoring (Licence Point 24 and Licence Point 39), blast monitoring and meteorological monitoring (Licence Point 23).


**Table 1.** Summary of EPL 20189 conditions associated with the licensed weather station.

Parameter	Frequency
Air Temperature (°C)	Continuous
Wind Direction (°)	Continuous
Wind Speed (m/s)	Continuous
Sigma Theta (°)	Continuous
Rainfall (mm)	Continuous
Relative Humidity (%)	Continuous

Meteorological monitoring is conducted on a continuous basis. Table 2 is a summary of the data collected by the weather station in March 2018. Figure 2 is a wind rose for the month.

**Table 2.** Summary of meteorological data for March 2018.

Pollutant	No. of measurements for month	Min. value	Mean value	Median value	Max. value
Air Temperature (°C)	Continuous	3.69	23.31	23.94	37.48
Wind Speed (m/s)	Continuous	0.00	2.60	2.68	8.81
Sigma Theta (°)	Continuous	2.89	21.00	16.84	102.86
Rainfall (mm)	Continuous	0.00	0.00	0.00	1.40
Relative Humidity (%)	Continuous	8.25	36.49	36.75	92.46



**Figure 2.** Wind rose March 2018.

## Surface Water Monitoring

The Company has six licence points associated with surface waters. Four of these points are located within the Mining Lease (Figure 3) and two are located on Box creek, upstream and




downstream of the mining lease (Figure 4). A summary of the licence conditions associated with these licence points is presented in Table 3.



**Figure 3.** Licensed surface water monitoring points located onsite.





**Figure 4.** Licensed surface water monitoring points located offsite. The black outline represents the mining leases.

**Table 3.** Summary of EPL 20189 conditions associated with licensed surface water monitoring points.

EPA ID No.	Monitoring Frequency	Limit
1, 2	Daily during discharge	
3, 4, 25, 26	During discharge	
	Pollutant	
1	Cyanide (weak acid dissociable (WAD))	10 mg/L
2	Cyanide (WAD)	20 mg/L (90 percentile limit)
		30 mg/L (max. limit)
3, 4, 25, 26 (Please note: Limits apply only to Licence Points 3 and 4.)	Aluminium	0.055 mg/L
	Arsenic	0.024 mg/L
	Boron	0.370 mg/L
	Cadmium	0.0002 mg/L
	Copper	0.0014 mg/L
	Cyanide (WAD)	0.007 mg/L
	Electrical Conductivity	1000 (µS/cm)
	Lead	0.0034 mg/L
	Manganese	1.90 mg/L
	Nickel	0.011 mg/L
	Nitrogen (total)	0.5 mg/L
	Oil and Grease	10 mg/L
	pH	6.5-8.5
	Phosphorus (total)	0.025 mg/L
	Silver	0.00005 mg/L
Total suspended solids	50 mg/L	
Zinc	0.008 mg/L	

Table 4 is a summary of the surface water quality results. The table has been colour coordinated by the licence limit that applies to each licence point. Licence Point 3, 4, 25 and 26 did not discharge for the month. No exceedances were recorded.


**Table 4.** Summary of surface water quality results for March 2018.

	Analytes (mg/L)																			
	WAD Cyanide				Al	As	B	Cd	Cu	EC (µS/cm)	Pb	Mn	Ni	N	Oil & Grease	pH	Ag	P	TSS	Zn
	Min.	Mean	Median	Max.																
Licence Limits	10				0.055	0.024	0.37	0.0002	0.0014	1000	0.0034	1.9	0.011	0.5	10	6.5-8.5	0.00005	0.025	50	0.008
	20 (90 Percentile)																			
	30 (max.)																			
	0.007																			
Licence Points																				
1	0	0.74	0	10																
2	0	1.71	0	10																
3	No flow																			
4	No flow																			
25	No flow																			
26	No flow																			

## Groundwater Monitoring

The Company has 17 licence points associated with groundwater. These points are located around the Project Area (Figure 5) and are a combination of observation bores, productions bores and piezometers. A summary of the licence conditions associated with these licence points is presented in Table 5





**Figure 5.** Licensed groundwater and air quality monitoring points.

**Table 5.** Summary of EPL 20189 conditions associated with licensed groundwater monitoring points.

EPA ID No.	Monitoring Frequency
	Quarterly
	Pollutant
7, 9, 17, 19, 27, 28, 29, 30, 31, 32, 33, 40	Antimony (mg/L)
	Arsenic (mg/L)
	Bicarbonate (mg/L)
	Boron (mg/L)
	Cadmium (mg/L)
	Calcium (mg/L)
	Carbonate (mg/L)
	Chloride (mg/L)
	Chromium (mg/L)
	Copper (mg/L)
	Cyanide (free) (mg/L)
	Cyanide (total) (mg/L)
	Cyanide (WAD) (mg/L)
	Electrical Conductivity ( $\mu$ S/cm)
	Iron (mg/L)
	Lead (mg/L)
	Magnesium (mg/L)
	Mercury (mg/L)
	Molybdenum (mg/L)
	Nickel (mg/L)
	pH
	Potassium (mg/L)
	Silver (mg/L)
	Sodium (mg/L)
	Tin (mg/L)
	Total dissolved solids (mg/L)
	Zinc (mg/L)
7, 27, 28, 29, 30, 34, 35, 36, 37, 38, 40	Standing Water Level (m)
EPA ID No.	Monitoring Frequency
	When water present
	Pollutant
34, 35, 36, 37, 38	Cyanide (free) (mg/L)
	Cyanide (total) (mg/L)
	Cyanide (WAD) (mg/L)
	Electrical Conductivity ( $\mu$ S/cm)
	pH

Quarterly groundwater results are reported in Table 6. An attempt was made to sampled Licence Point 23 however, insufficient water was obtained to request a full suite of analysis. The missing results are represented by 'NR' in Table 6.



**Table 6:** Summary of December 2017 groundwater quality results.

Licence Point	Analyte (mg/L)													EC (mS/cm)
	Sb	As	HCO3-	B	Cd	Ca	CO3-2	Cl	Cr	Cu	CN- (Free)	CN- (Total)	CN- (WAD)	
7	<0.001	<0.001	711	0.43	<0.0001	191	<1	1050	<0.001	<0.001	<0.004	<0.004	<0.004	4670
9	<0.001	<0.001	699	0.67	<0.0001	190	<1	959	<0.001	<0.001	<0.004	<0.004	<0.004	5260
17	<0.001	0.003	272	0.28	0.0003	46	<1	254	<0.001	0.004	<0.004	<0.004	<0.004	1366
19	<0.001	<0.001	66	0.21	<0.0001	2	<1	46	<0.001	0.006	<0.004	<0.004	<0.004	1053
27	<0.001	<0.001	538	1.35	<0.0001	58	<1	1310	<0.001	<0.001	<0.004	<0.004	<0.004	5830
28	0.012	0.005	724	0.68	0.0002	213	<1	999	0.002	0.013	<0.004	<0.004	<0.004	5240
29	0.011	<0.001	371	0.39	<0.0001	42	<1	338	<0.001	0.002	<0.004	<0.004	<0.004	2101
30	0.004	0.004	656	1.91	<0.0001	77	<1	1580	<0.001	0.002	<0.004	<0.004	<0.004	7340
31	<0.001	0.002	406	0.92	<0.0001	98	<1	1300	<0.001	0.007	<0.004	<0.004	<0.004	5820
32	<0.001	0.002	NR	0.91	<0.0001	NR	NR	NR	<0.001	<0.001	NR	NR	NR	6500
33	<0.001	0.012	552	0.38	<0.0001	158	<1	727	<0.001	<0.001	<0.004	<0.004	<0.004	3990
34											DRY	DRY	DRY	DRY
35											DRY	DRY	DRY	DRY
36											DRY	DRY	DRY	DRY
37											DRY	DRY	DRY	DRY
38											DRY	DRY	DRY	DRY
40	<0.001		687	0.48	<0.0001	186	<1	1140	<0.001	0.001	<0.004	<0.004	<0.004	5070
	Analyte (mg/L)													SWL (m)
	Fe	Pb	Mg	Hg	Mo	Ni	pH	K	Ag	Na	Sn	TDS	Zn	
7	0.11	<0.001	167	<0.0001	<0.001	<0.001	6.74	16	<0.001	554	<0.001	2960	<0.005	52.97
9	1.55	<0.001	232	<0.0001	<0.001	<0.001	7.57	28	<0.001	696	<0.001	3830	0.025	
17	<0.05	<0.001	48	<0.0001	<0.001	0.002	6.91	10	<0.001	146	<0.001	678	0.04	
19	<0.05	<0.001	3	<0.0001	<0.001	<0.001	8.14	1	<0.001	49	<0.001	210	0.032	
27	0.63	<0.001	134	<0.0001	0.001	<0.001	7.18	38	<0.001	926	<0.001	3290	<0.005	54.18
28	7.46	0.04	227	<0.0001	0.022	0.007	6.71	29	<0.001	671	<0.001	3100	0.276	86.28
29	<0.05	0.001	55	<0.0001	0.001	0.002	7.55	12	<0.001	287	<0.001	1240	0.016	63.8
30	0.49	<0.001	109	<0.0001	0.002	0.01	7.11	36	<0.001	1420	<0.001	4600	0.016	60.01
31	0.1	<0.001	137	<0.0001	<0.001	0.003	7.86	32	<0.001	898	<0.001	3610	0.093	
32	1.05	<0.001	NR	NR	<0.001	0.058	6.5	NR	<0.001	NR	<0.001	NR	0.022	
33	2.06	<0.001	171	<0.0001	<0.001	0.004	6.53	17	<0.001	427	<0.001	2470	0.065	
34											DRY			
35											DRY			
36											DRY			
37											DRY			
38											DRY			
40	0.39	<0.001	184	<0.0001	<0.001	<0.001	7.13	15	<0.001	628	<0.001	2620	0.01	53.81

## Noise Monitoring

The Company has four licenced monitoring points (R1, R2, R3 and R4) located along the Burthong Road (Figure 6). The locations are strategically placed near the Hera Mine's nearest neighbours. R1 and R2 are measured from the same point as both neighbours are located in very close proximity to each other. A summary of the EPL and Project Approval (PA) conditions associated with these licenced points is presented in Table 7.



**Figure 6.** Licensed noise monitoring locations. The black outline represents the Mining Lease areas.

**Table 7.** Summary of EPL 20189 conditions associated with noise monitoring.

Location	Pollutant - Noise	Limits
R1, R2, R3, R4	Monday to Friday - 0700 hours (hrs) to 1800 hrs	LAeq (15 minute) 35 decibels (dB)
	Monday to Friday - 1800 hrs to 2200 hrs	LAeq (15 minute) 35 dB
	All other times	LAeq (15 minute) 35 dB
		LA1 (1 minute) 45 dB

An independent consultant (EMM Consultants) was engaged to conduct a noise assessment in July 2017. The results were reported in the July 2017 Environment Report.

## Blast Monitoring

The blast monitor is located adjacent to the dwelling on the nearest neighbour's property (Figure 1). A summary of the EPL and PA conditions associated with this licenced point are presented in Table 8.



**Table 8.** Summary of EPL 20189 and PA 10\_0191 conditions associated with blast monitoring.

Location	Pollutant	Time Period	Limits
Blast monitoring	Ground vibration	All times	10 mm/s (max.)
	<i>(monitor for every blast)</i>	Day	5 mm/s (95% of total blasts)
		Evening	2 mm/s (95% of total blasts)
		Night and all day on Sundays and Public Holidays	1 mm/s (max.)
	Airblast overpressure	All times	120 dB (max.)
	<i>(monitor for every blast)</i>	All times	115 dB (95% of total blasts)

The Company conducted a total of 114 blasts in March 2018. The characteristics of each blast are presented in Table 9. No exceedances were recorded for the month.

**Table 9.** Summary of blast monitoring results for March 2018.

Date	Time	Time period	Vibration (mm/s)	Overpressure (dB)
Thursday, 1 March 2018	6:50	Night	<0.35	
Thursday, 1 March 2018	6:50	Night	<0.35	
Thursday, 1 March 2018	19:00	Evening	<0.35	
Thursday, 1 March 2018	19:00	Evening	<0.35	
Friday, 2 March 2018	7:00	Day	<0.35	
Friday, 2 March 2018	7:00	Day	<0.35	
Saturday, 3 March 2018	7:10	Day	<0.35	
Saturday, 3 March 2018	7:10	Day	<0.35	
Saturday, 3 March 2018	7:10	Day	<0.35	
Sunday, 4 March 2018	6:45	Sunday	<0.35	
Sunday, 4 March 2018	6:45	Sunday	<0.35	
Sunday, 4 March 2018	6:45	Sunday	<0.35	
Sunday, 4 March 2018	13:45	Sunday	<0.35	
Sunday, 4 March 2018	13:45	Sunday	<0.35	
Monday, 5 March 2018	6:35	Night	<0.35	
Monday, 5 March 2018	18:55	Evening	<0.35	
Tuesday, 6 March 2018	6:50	Night	<0.35	
Tuesday, 6 March 2018	6:50	Night	<0.35	
Tuesday, 6 March 2018	18:45	Evening	<0.35	
Tuesday, 6 March 2018	18:45	Evening	<0.35	
Wednesday, 7 March 2018	6:42	Night	<0.35	
Wednesday, 7 March 2018	6:42	Night	<0.35	
Wednesday, 7 March 2018	18:51	Evening	<0.35	
Wednesday, 7 March 2018	18:51	Evening	<0.35	
Thursday, 8 March 2018	6:40	Night	<0.35	
Thursday, 8 March 2018	18:50	Evening	<0.35	
Thursday, 8 March 2018	18:50	Evening	<0.35	

Friday, 9 March 2018	6:45	Night	<0.35	
Friday, 9 March 2018	6:50	Night	<0.35	
Friday, 9 March 2018	19:00	Evening	<0.35	
Friday, 9 March 2018	19:00	Evening	<0.35	
Friday, 9 March 2018	19:00	Evening	<0.35	
Saturday, 10 March 2018	6:45	Night	<0.35	
Saturday, 10 March 2018	6:45	Night	<0.35	
Saturday, 10 March 2018	19:00	Evening	<0.35	
Sunday, 11 March 2018	6:50	Sunday	<0.35	
Sunday, 11 March 2018	6:50	Sunday	<0.35	
Sunday, 11 March 2018	6:50	Sunday	<0.35	
Sunday, 11 March 2018	18:50	Sunday	<0.35	
Monday, 12 March 2018	6:45	Night	<0.35	
Monday, 12 March 2018	16:00	Day	<0.35	
Tuesday, 13 March 2018	6:45	Night	<0.35	
Tuesday, 13 March 2018	6:45	Night	<0.35	
Tuesday, 13 March 2018	6:45	Night	<0.35	
Tuesday, 13 March 2018	19:00	Evening	<0.35	
Tuesday, 13 March 2018	19:00	Evening	<0.35	
Tuesday, 13 March 2018	19:00	Evening	<0.35	
Wednesday, 14 March 2018	6:45	Night	<0.35	
Wednesday, 14 March 2018	7:00	Day	<0.35	
Wednesday, 14 March 2018	19:01	Evening	<0.35	
Wednesday, 14 March 2018	19:01	Evening	<0.35	
Wednesday, 14 March 2018	19:01	Evening	<0.35	
Thursday, 15 March 2018	7:00	Day	<0.35	
Thursday, 15 March 2018	7:00	Day	<0.35	
Thursday, 15 March 2018	19:05	Evening	<0.35	
Thursday, 15 March 2018	19:05	Evening	<0.35	
Thursday, 15 March 2018	19:05	Evening	<0.35	
Friday, 16 March 2018	6:50	Night	<0.35	
Friday, 16 March 2018	18:50	Evening	<0.35	
Friday, 16 March 2018	18:50	Evening	<0.35	
Friday, 16 March 2018	18:50	Evening	<0.35	
Friday, 16 March 2018	18:50	Evening	<0.35	
Saturday, 17 March 2018	7:00	Day	<0.35	
Saturday, 17 March 2018	7:00	Day	<0.35	
Saturday, 17 March 2018	18:55	Evening	<0.35	
Saturday, 17 March 2018	18:55	Evening	<0.35	
Sunday, 18 March 2018	7:30	Sunday	<0.35	
Sunday, 18 March 2018	7:30	Sunday	<0.35	
Sunday, 18 March 2018	18:50	Sunday	<0.35	
Sunday, 18 March 2018	18:50	Sunday	<0.35	
Monday, 19 March 2018	7:00	Day	<0.35	
Monday, 19 March 2018	18:55	Evening	<0.35	
Monday, 19 March 2018	18:55	Evening	<0.35	



Tuesday, 20 March 2018	6:50	Night	<0.35	
Tuesday, 20 March 2018	6:50	Night	<0.35	
Tuesday, 20 March 2018	15:50	Day	<0.35	
Tuesday, 20 March 2018	19:00	Evening	<0.35	
Wednesday, 21 March 2018	6:50	Night	<0.35	
Wednesday, 21 March 2018	6:50	Night	<0.35	
Wednesday, 21 March 2018	18:50	Evening	<0.35	
Wednesday, 21 March 2018	18:50	Evening	<0.35	
Thursday, 22 March 2018	6:50	Night	<0.35	
Thursday, 22 March 2018	6:50	Night	<0.35	
Friday, 23 March 2018	6:45	Night	<0.35	
Friday, 23 March 2018	6:45	Night	<0.35	
Friday, 23 March 2018	6:45	Night	<0.35	
Saturday, 24 March 2018	1:30	Night	<0.35	
Saturday, 24 March 2018	6:55	Night	<0.35	
Saturday, 24 March 2018	6:55	Night	<0.35	
Sunday, 25 March 2018	10:30	Sunday	<0.35	
Sunday, 25 March 2018	10:30	Sunday	<0.35	
Sunday, 25 March 2018	16:45	Sunday	<0.35	
Sunday, 25 March 2018	18:45	Sunday	<0.35	
Monday, 26 March 2018	6:50	Night	<0.35	
Monday, 26 March 2018	6:50	Night	<0.35	
Monday, 26 March 2018	18:50	Evening	<0.35	
Tuesday, 27 March 2018	2:00	Night	<0.35	
Tuesday, 27 March 2018	2:00	Night	<0.35	
Tuesday, 27 March 2018	2:00	Night	<0.35	
Tuesday, 27 March 2018	7:00	Day	<0.35	
Wednesday, 28 March 2018	7:00	Day	<0.35	
Wednesday, 28 March 2018	7:00	Day	<0.35	
Wednesday, 28 March 2018	18:45	Evening	<0.35	
Wednesday, 28 March 2018	18:45	Evening	<0.35	
Thursday, 29 March 2018	6:55	Night	<0.35	
Thursday, 29 March 2018	18:45	Evening	<0.35	
Thursday, 29 March 2018	18:45	Evening	<0.35	
Friday, 30 March 2018	6:45	Night	<0.35	
Friday, 30 March 2018	16:05	Day	0.431	94.00
Friday, 30 March 2018	18:55	Evening	<0.35	
Friday, 30 March 2018	18:55	Evening	<0.35	
Saturday, 31 March 2018	6:40	Night	<0.35	
Saturday, 31 March 2018	18:45	Evening	<0.35	
Saturday, 31 March 2018	18:45	Evening	<0.35	

## Air Quality Monitoring

The Company has two High Volume Air Samplers (HVAS), designed to sample Particulate matter less than 10 µm (PM<sub>10</sub>) or Total Suspended Particulate (TSP) matter and two Dust

Deposition Gauges (DDG). Refer to Figure 5 for location of the sampling points. A summary of the PA conditions associated with these monitoring points is presented in Table 10.

**Table 10.** Summary of Project Approval conditions associated with dust monitoring.

Pollutant	Averaging Period	Limits
TSP	Annual	90 $\mu\text{g}/\text{m}^3$
PM <sub>10</sub>	Annual	30 $\mu\text{g}/\text{m}^3$
PM <sub>10</sub>	24 Hour	50 $\mu\text{g}/\text{m}^3$
Deposited Dust	Annual	2 $\text{g}/\text{m}^2/\text{month}$ (Max. increase)
	Annual	4 $\text{g}/\text{m}^2/\text{month}$ (Max. total)

Results for air quality monitoring conducted in March 2018 have been summarised in Table 11. A PM<sub>10</sub> exceedance was recorded on 14 March 2018. No complaints were received or neighbours affected as a result of this incident. This was report to the EPA on 17 April 2018. Furthermore, the HVAS did not run on 26 March 2018 due to a power outage caused by electrical storms in the area.

**Table 11.** Summary of air quality monitoring results for March 2018.

Pollutant	Unit	Limit	Averaging Period	Result
TSP	$\mu\text{g}/\text{m}^3$	90	Annual	43.21
PM-10 ( $\mu\text{g}/\text{m}^3$ )	$\mu\text{g}/\text{m}^3$	30	Annual	20.90
	$\mu\text{g}/\text{m}^3$	50	2/03/2018	36.00
	$\mu\text{g}/\text{m}^3$	50	8/03/2018	28.00
	$\mu\text{g}/\text{m}^3$	50	14/03/2018	59.00
	$\mu\text{g}/\text{m}^3$	50	20/03/2018	45.00
	$\mu\text{g}/\text{m}^3$	39	26/03/2018	NR
Deposited Dust (DDG1)	$\text{g}/\text{m}^2/\text{month}$	4	Annual	2.30
Deposited Dust (DDG2)	$\text{g}/\text{m}^2/\text{month}$	4	Annual	2.25

## Gold Room Stack Monitoring

The Company has two licenced gold room stack monitoring points (Figure 1). A summary of the licence conditions associated with this licence point is presented in Table 12.

**Table 12.** Summary of EPL 20189 conditions associated with gold room stack monitoring.

EPA ID No.	Monitoring Frequency
24	Yearly
39	
Pollutant	
Nitric Oxide ( $\text{mg}/\text{m}^3$ )	

Gold Room stack monitoring is conducted on an annual basis. The results from this monitoring were reported in August 2017.



## Concentrate Transport

The Company is licenced to transport 50,000 tpa of lead/zinc concentrate during daylight hours. The company is limited to eight truck movements per day (entering and leaving the site) averaged over a calendar month (Table 13).

**Table 13.** Summary of the concentrate truck movements from the Hera Mine to Hermidale rail siding for the month.

Date	Time	Dry Tonnes
2/03/2018	11:00:00	48.73
2/03/2018	11:30:00	50.21
2/03/2018	13:45:00	48.15
2/03/2018	14:00:00	48.87
2/03/2018	14:30:00	50.10
2/03/2018	16:30:00	49.71
2/03/2018	16:45:00	49.06
2/03/2018	17:30:00	49.76
3/03/2018	10:15:00	48.69
5/03/2018	09:30:00	48.77
5/03/2018	17:30:00	48.27
5/03/2018	18:30:00	48.42
6/03/2018	07:15:00	47.72
6/03/2018	08:00:00	48.85
6/03/2018	09:30:00	48.40
6/03/2018	11:00:00	49.55
6/03/2018	12:30:00	50.02
6/03/2018	14:40:00	48.47
6/03/2018	17:45:00	50.02
6/03/2018	18:00:00	50.52
7/03/2018	07:00:00	49.35
7/03/2018	10:00:00	49.64
7/03/2018	16:00:00	49.19
9/03/2018	13:32:00	49.14
9/03/2018	13:45:00	48.83
9/03/2018	17:00:00	51.75
9/03/2018	17:30:00	49.53
11/03/2018	11:00:00	50.26
11/03/2018	12:30:00	51.50
11/03/2018	16:00:00	48.75
12/03/2018	14:30:00	51.66
12/03/2018	17:00:00	48.90
13/03/2018	08:15:00	48.14
13/03/2018	09:00:00	48.63
13/03/2018	11:00:00	51.45
13/03/2018	11:30:00	50.97
13/03/2018	12:20:00	46.97

13/03/2018	15:00:00	48.71
13/03/2018	16:00:00	50.31
13/03/2018	18:30:00	49.25
14/03/2018	07:40:00	50.27
14/03/2018	11:00:00	52.70
14/03/2018	14:30:00	48.70
14/03/2018	15:30:00	49.47
15/03/2018	11:00:00	48.72
15/03/2018	14:00:00	48.96
15/03/2018	18:00:00	49.58
16/03/2018	09:00:00	50.85
16/03/2018	12:00:00	49.62
16/03/2018	15:00:00	51.96
16/03/2018	18:00:00	51.50
16/03/2018	18:30:00	51.71
17/03/2018	09:30:00	51.70
19/03/2018	11:30:00	51.49
19/03/2018	11:45:00	48.64
20/03/2018	10:20:00	48.69
20/03/2018	11:10:00	48.58
21/03/2018	10:45:00	48.02
21/03/2018	10:50:00	48.64
21/03/2018	15:00:00	47.91
21/03/2018	16:00:00	48.62
22/03/2018	14:00:00	48.69
23/03/2018	12:10:00	48.10
23/03/2018	12:30:00	48.01
24/03/2018	15:30:00	48.31
25/03/2018	07:45:00	48.98
25/03/2018	15:30:00	48.46
25/03/2018	18:40:00	48.67
26/03/2018	08:00:00	48.58
26/03/2018	11:20:00	48.71
<b>Average Truck Movements per day</b>		<b>2.26</b>
<b>Total Tonnes</b>		<b>3,458</b>

## Complaints

No complaints were received this month.