



**Peak Gold Mines**  
**MONTHLY ENVIRONMENTAL MONITORING SUMMARY**  
**REPORT**

**EPL 3596**  
**Hillston Road, Cobar**  
**NSW 2835**

**July 2019**



## Contents

1. INTENT .....	3
2. SCOPE .....	3
3. DEFINITIONS .....	3
4. MONITORING RESULTS .....	4
4.1. VIBRATION .....	4
4.2. AIR QUALITY .....	5
4.3. NOISE .....	7
4.4. WATER .....	9
4.5. HAULAGE MOVEMENTS .....	10
4.6. WEATHER .....	10

## **1. INTENT**

This monthly environmental summary report is a requirement under section 66(6) of the NSW Protection of the Environment Operations Act 1997 (POEO Act), in which holders of an environment protection licence make their pollution monitoring data publicly available. This report is intended to keep the community, stakeholders, and regulators informed of Peak Gold Mine's (PGM's) environmental performance and to maintain a transparent and accountable reporting system.

## **2. SCOPE**

This report covers all of PGMs environmental monitoring conditions covered for July 2019. These conditions, where applicable, are measured against PGMs Environmental Protection Licence (EPL), development consent conditions and Australian Standard to determine PGMs compliance. The conditions include;

- Blasting monitoring results;
- Air Quality Monitoring results;
- Noise Monitoring results;
- Surface Water Monitoring results; and
- Weather Conditions.

## **3. DEFINITIONS**

mm/s – the peak of the vibration in millimetres per second

Insoluble Solids – the insoluble portion of the dust deposition

Total Lead – Including dissolved lead in the liquid portion and the lead particulates in the filter paper following laboratory analysis

g/m<sup>2</sup>/month – grams per square meter per month

dB (L) – decibel (linear maximum)

dB LAeq (15 minute) – Decibel (linear weighted average over 15 minutes)

CN Free – Free Cyanide (hydrogen cyanide and cyanide ions in solution)

CN WAD – Weak Acid Dissociable Cyanide (includes cyanide species liberated at moderate pH of 4.5)

TSS – Total Suspended Solids



4. MONITORING RESULTS

4.1. VIBRATION

The vibration monitoring results displayed in Table 4.1a represents all blast vibration events that were triggered at the New Occidental, Fort Bourke and/or Dellavale monitors (Figure 1).

As seen in Table 4.1a all blasting events for the month were below PGMs EPL limits. Vibration limits set by the NSW Environmental Protection Authority (EPA) can be viewed in Table 4.1b.

The compliance against the overall 12-month period will be reported in the EPL Annual Return and Annual Environmental Management Report (AEMR).

Table 4.1a New Occidental, Fort Bourke and Dellavale Vibration Results

Location	Date Sampled & Received	ID	New Occidental (mm/s)	Fort Bourke (mm/s)	Dellavale (mm/s)	Complies (Y/N)
New Cobar	08/07/19	58 NTH 470	0.503	1.872	3.396	Y
New Cobar	24/07/19	58 NTH 470	No Trigger	1.562	1.837	Y

Table 4.1b PGM EPL Limits

Peak Particle Velocity (mm/s)	Allowable Exceedance
5.00	<5% of the total number of blasts in a 12 month period are to be below 5mm/s
10.00	NIL



**Figure 1: Location of Vibration Monitors on PGM's Mining Leases.**

#### 4.2. AIR QUALITY

Fall out dust deposition bottles are currently used to monitor air quality. The bottles are positioned in the field (Figure 2) for a period of  $30 \pm 2$  days. Monitoring is undertaken quarterly. The bottles are then sent to Australian Laboratory Services (ALS) for external analysis.

PGM has no set limits for air quality monitoring levels. However, takes on board the EPAs best practice limit of  $4\text{g}/\text{m}^2/\text{time}$  (limit is applicable to 12 month averaging period). If a single monitoring result is over the EPAs best practice limit of  $4\text{g}/\text{m}^2/\text{time}$ , the cause is investigated and reported in the AEMR.



## MONTHLY ENVIRONMENTAL MONITORING SUMMARY

Table 4.2a Air Quality Results

Site	Location	Date			Australian Standard Limit (g/m <sup>2</sup> /month)	Insoluble Solids (g/m <sup>2</sup> /month)	Total Lead (g/m <sup>2</sup> /month)	Complies
		Sampled	Obtained	Published				
DM1	NW corner of tailings dam	28/06/19 – 26/07/19	31/07/19	13/08/19	4	0.8	0.00034	Y
DM2	SW corner of tailings dam	28/06/19 – 26/07/19	31/07/19	31/07/19	4	1.8	0.0015	Y
DM3	Carpark	28/06/19 – 26/07/19	31/07/19	31/07/19	4	1.3	0.0177	Y
DM4	NE corner of PGM magazine	28/06/19 – 26/07/19	31/07/19	31/07/19	4	0.7	0.00832	Y
Dellavale	1.3km ESE of New Cobar	28/06/19 – 26/07/19	31/07/19	31/07/19	4	0.9	0.00011	Y
Bimbimbie	1.2km SW of New Cobar	28/06/19 – 26/07/19	31/07/19	31/07/19	4	0.5	0.00013	Y




Figure 2: Location of dust gauges on PGM Mining Leases.

#### 4.3. NOISE

A hand-held monitor is used by PGM employees to monitor noise levels at times set out by the EPL and development consent conditions. Noise monitoring is conducted at the closest resident (figure 3) and sporadically depending on operational requirements. PGMs closest monitoring point is located at the Dellavale boundary, approximately 400m closer to the mine noise than the residence. To determine the noise level (dB) experienced at the residence, sound intensity  $I$  and the inverse square law  $1/r^2$  is calculated based on the residences distance from mine noise source.

Noise monitoring results and licenced noise limits set by the EPL and Development Consent Conditions are given in Table 4.3a respectively.



## MONTHLY ENVIRONMENTAL MONITORING SUMMARY

**Table 4.3a Attended Noise Monitoring Results**

Location	Date		Time	LA 10 (dB) Limit	LA 10 (dB) Monitoring Result at Monitor Location	LA 10 (dB) Calculated Monitoring Result at Residence	Key Noise Source	Complies
	Sampled & Obtained	Published						
Dellavale	06/07/2019	08/07/2019	8.25am	45	48.5	44.5	Car on highway, bird chirping, truck on highway, Non-mine	YES
Dellavale	25/07/2019	01/08/2019	1.45pm	45	34.8	30.8	Bird Chirping	YES
Dellavale	27/07/2019	01/08/2019	1pm	35	34.5	30.5	Car on highway, slight wind	YES
Dellavale	27/07/2019	01/08/2019	8am	45	42.9	38.9	Car on highway, haul truck	YES

**Table 4.3b Noise Monitoring**

Time Band	Day	Noise Level (dB)
8:00am – 6:00pm	Mon – Fri	45
6:00pm – 10:00pm	Mon – Fri	40
10:00pm – 8:00am	Mon – Fri	35
8:00am – 1:00pm	Sat	45
1:00pm – 8:00am	Sat	35
12:00am – 12:00pm	Sun	35






Figure 3: Location of the “Dellavale” properties house (blue circle) and noise monitoring location (red diamond).

4.4. WATER

Surface water monitoring involves collecting water samples from a number of locations around site and submitted to external laboratory for physical and chemical analysis, pH and electrical conductivity are obtained using a handheld monitor. Table 4.4 gives the results as per the PGM EPL requirements.

Table 4.4 Water Monitoring Data

Point	Sampled	Received	Published	Limit	WAD CN (mg/L)	CN Free (mg/L)	TSS (mg/L)	Oil & Grease	Complies
Recycled Water Dam End (Peak)	03/07/2019	16/7/2019	17/7/2019	No Limit	0.015	0.013	59	*	Yes
Raw Water Tank (Peak)	03/07/2019	16/7/2019	17/7/2019	No Limit	<0.004	<0.004	6	*	Yes
Spain's Tank	03/07/2019	16/7/2019	17/7/2019	No Limit	*	*	110	<5	Yes
Young Australia	03/07/2019	16/07/2019	17/7/2019	No Limit	*	*	<5	<5	Yes

\*No monitoring required.



**4.5. HAULAGE MOVEMENTS**

PGM is required to monitor the number of haulage movements undertaken from New Cobar to Peak site as per current consent conditions. A trucking movement includes the travel from New Cobar, to Peak site, return to New Cobar. In the month of July, 775 truck movements were permitted to be undertaken. In total, 395 truckloads were completed. Table 4.5 shows a summary of the trucking movements for the month.

**Table 4.5 Haulage Summary**

Date	Truck Movements
1/7/2019	0
2/7/2019	0
3/7/2019	0
4/7/2019	0
5/7/2019	0
6/7/2019	0
7/7/2019	0
8/7/2019	0
9/7/2019	0
10/7/2019	24
11/7/2019	0
12/7/2019	0
13/7/2019	0
14/7/2019	20
15/7/2019	18
16/7/2019	23
17/7/2019	19
18/7/2019	18
19/7/2019	23
20/7/2019	22
21/7/2019	20
22/7/2019	14
23/7/2019	16
24/7/2019	22
25/7/2019	26
26/7/2019	22
27/7/2019	21
28/7/2019	20
29/7/2019	18
30/7/2019	25
31/7/2019	24
<b>Daily Average</b>	<b>12.7</b>

**4.6. WEATHER**

The meteorology monitoring data has been acquired through PGM's weather station located 2km South of Cobar. Installed in May 2019, the weather station now has enough data for use in the monthly PGM reports.

The BOM website can be used as an alternate source for this monitoring data.

