

Table of Contents

1. ln	tent	(3)
2. Sc	cope	3
	efinitions	
	onitoring Results	
	Weather	
	Surface Water	
	Noise Monitoring	
	Air Quality	
	Blast Monitoring	
	Haulage Movements	
4.6	naulage Plovements	,

Author	Sara Waak
Version	1.0
Date Created	6 th November 2023
Review Date	20 th December 2023

1. Intent

This monthly environmental summary report is a requirement under section 66(6) of the NSW Protection of the Environment Operations Act 1997 (POEO Act), in which holders of an environment protection licence make their pollution monitoring data publicly available. This report is intended to keep the community, stakeholders, and regulators informed of Peak Gold Mine's (PGM's) environmental performance and to maintain a transparent and accountable reporting system.

2. Scope

This report covers all PGMs environmental monitoring conditions covered for October 2023. These conditions, where applicable, are measured against PGMs Environment Protection Licence (EPL 3596), development consent conditions and Australian Standard to determine PGMs compliance.

These conditions include:

- Weather Conditions
- Surface Water Monitoring results
- Noise Monitoring results
- Air Quality Monitoring results
- Blasting monitoring results
- Haulage Movements

3. Definitions


Term	Definition
mm/s	The peak of the vibration in millimetres per second
Insoluble Solids	The insoluble portion of the dust deposited in dust deposition gauge
Total Lead	Including dissolved lead in the liquid portion and the lead particulates in the filter paper following laboratory analysis
g/m2/month	Grams per square metre per month
dB (L)	Decibel (linear maximum)
dB LAeq (15 minute)	Decibel (linear weighted average over 15 minutes)
CN Free	Free Cyanide (Hydrogen Cyanide and Cyanide ions in solution)
CN WAD	Weak Acid Dissociable Cyanide (includes Cyanide species liberated at moderate pH of 4.5)
TSS	Total Suspended Solids

4. Monitoring Results


4.1 Weather

The meteorology monitoring data is acquired through PGM's weather station located 2km South of Cobar. The BOM website can also be used as an alternate source for this monitoring data.

WIND SPEED OCTOBER 2023




AIR TEMPERATURE OCTOBER 2023




OCTORER 2023

RELATIVE HUMIDITY OCTOBER 2023



TOTAL RAINFALL OCTOBER 2023



Graphs 1-4: Summary of meteorological data for October 2023

4.2 Surface Water

Surface water monitoring involves collecting water samples from several locations around site. The water samples are submitted to a NATA accredited laboratory for physical and chemical analysis. Analysis of pH and electrical conductivity are obtained in the field using a handheld monitor. Table 1 gives the results as per the PGM EPL requirements.

EPA Limit WAD CN TSS Oil & identific-Location Sampled Received Published CN Free (mg/L) Grease (mg/L) (mg/L) **Netted Dam** Νo overflow to Limit 1 Recycled Water Dam 10/10/23 25/10/23 06/11/23 Νo 1.49 1.32 2 Decant Dam Limit 10/10/23 25/10/23 06/11/23 Νo 89.1 74.3 * 5 TSF feed Limit * ** ** Young Australia Νo 6 Complex Limit * * ** ** Nο 7 Spain's Dam Limit

Table 1: Surface Water monitoring results

4.3 Noise Monitoring

A hand-held monitor is used by PGM employees to monitor noise levels at times set out by the EPL and development consent conditions. Noise monitoring is conducted at the closest residence (Figure 1) and sporadically depending on operational requirements. PGM's closest monitoring point is located at the Dellavale boundary, approximately 400m closer to the mine noise than the residence. To determine the noise level (dB) experienced at the residence, sound intensity I and the inverse square law $1/r^2$ is calculated based on the residences distance from mine noise source.

Noise monitoring results are below in Table 3. Licenced noise limits set by the EPL and development consent conditions are given in Table 2.

^{*}No monitoring required

^{**}No discharge



Figure 1: Location of the "Dellavale" properties house (blue circle) and noise monitoring location (red diamond).

Table 2: Noise Monitoring levels

Time Band	Day	Noise Level (dB)
7:00am - 6:00pm	Mon – Fri	45
6:00pm - 10:00pm	Mon – Fri	40
10:00pm - 7:00am	Mon – Fri	35
7:00am - 1:00pm	Sat	45
1.00pm - 7:00am	Sat	35
12:00am - 12:00pm	Sun	35

Table 3: Attended Noise Monitoring Results

Location	Sampled & Obtained	Published	Time	10 (dB)	LA 10 (dB) Monitoring Result at Monitor Location		Key Noise Source	Complies
Dellavale	30/10/23	06/11/23	20:53	35	27.6	23.62	n/a	Yes

^{*} Data Invalid due to high wind speed I.e. 3.28-3.55m/s. This Is higher than allowable EPL limit of 3m/s.

^{**} It complies due to noise not being emitted by PGM

4.4 Air Quality

Fall out dust deposition bottles are currently used to monitor air quality. The bottles are positioned in the field (Figure 2) for a period of 30 ± 2 days. Monitoring is required to be undertaken quarterly; however, we conduct monthly monitoring. The bottles are then sent to Australian Laboratory Services (ALS) for external analysis.

PGM has no set limits for air quality monitoring levels. However, PGM takes on board the EPAs best practice limit of 4g/m²/time (limit is applicable to a 12-month averaging period). If the 12-month rolling average of a result is greater than 4g/m²/time, the cause will be investigated.



Figure 2: Location of dust gauges on PGM Mining Leases

Table 4: Air Quality Results

EPA identific- ation no.	Site	Sampled	Received	Published	Australian Standard Limit (g/m2/month)	Insoluble Solids (g/m2/month)	Total Lead (g/m2/month)	Complies
8	DM1	18/09/23 - 17/10/23	8/11/23	10/11/23	4	1.1	0.000179	Yes
9	DM2	18/09/23 - 17/10/23	8/11/23	10/11/23	4	1.3	0.000306	Yes
10	DM3	18/09/23 - 17/10/23	8/11/23	10/11/23	4	2.3	0.0227	Yes
11	DM4	18/09/23 - 17/10/23	8/11/23	10/11/23	4	0.6	0.000870	Yes
4	Dellavale	18/09/23 - 17/10/23	8/11/23	10/11/23	4	0.5	0.0000581	Yes
3	Bimbimbie	18/09/23 - 17/10/23	8/11/23	10/11/23	4	2.1	0.000157	Yes

4.5 Blast Monitoring

The vibration monitoring results displayed in Table 6 represents all blast vibration events that were trigged at the New Occidental, Fort Bourke and/or Dellavale monitors (Figure 3).

As seen in Table 6 blasting events for the month were below PGMs EPL limits. Vibration limits set by the NSW Environmental Protection Authority (EPA) can be viewed in Table 5.

The compliance against the overall 12-month period will be reported in the EPL Annual Return.



Figure 3: Location of Vibration Monitors on PGM's Mining Lease

Table 5: PGM EPL Limits

Peak Particle Velocity (mm/s)	Allowable Exceedance
5.00	<5% of the total number of blasts in a 12-month period are to be above 5mm/s
10.00	NIL

Table 6: Vibration Results

Location	Sampled & Received	ID	New Occidental (mm/s)	Fort Bourke (mm/s)	Dellavale (mm/s)	Complies
New Cobar	2/10/2023	JUB_15_ACC	0.01	0.36	0.05	Yes
Peak	3/10/2023	CRS_9490_790_480	No Trigger	No Trigger	No Trigger	Yes
Peak	4/10/2023	S4U_9161_705_465	0.01	0.38	0.06	Yes
New Cobar	5/10/2023	JUB_15_ACC	0.01	0.36	0.05	Yes
New Cobar	7/10/2023	JUB_15_ACC	0.01	0.36	0.06	Yes
Peak	7/10/2023	S4U_9161_745_440	No Trigger	No Trigger	No Trigger	Yes
Peak	8/10/2023	CRS_9490_790_480	No Trigger	No Trigger	No Trigger	Yes
New Cobar	8/10/2023	JUB_15_ACC	0.01	0.43	0.07	Yes
Peak	10/10/2023	CRS_9770_INC	0.01	0.42	0.06	Yes
New Cobar	11/10/2023	JUB_15_SPL	0	0.25	0.03	Yes
Peak	13/10/2023	PVD_8750_NTH_810	No Trigger	No Trigger	No Trigger	Yes
New Cobar	14/10/2023	JUB_15_SPL	0	0.28	0.04	Yes
New Cobar	15/10/2023	JUB_15_SPL	0	0.29	0.03	Yes
Peak	18/10/2023	CRS_9740_ODS	0.01	0.37	0.05	Yes
New Cobar	20/10/2023	JUB_15_ACC	0.01	0.49		Yes
Peak	21/10/2023	PVD_8750_NTH_810	No Trigger	No Trigger	No Trigger	Yes
New Cobar	22/10/2023	JUB_21_NTH_395	0.05	2.64	0.48	Yes
New Cobar	23/10/2023	JUB_15_ACC	0.01	0.43	0.06	Yes
New Cobar	23/10/2023	JUB_21_NTH_395	0.04	2.61	0.49	Yes
Peak	25/10/2023	CRS_9740_ODS	0.01	0.58	0.05	Yes
Peak	26/10/2023	PVD_8750_NTH_810	No Trigger	No Trigger	No Trigger	Yes
New Cobar	27/10/2023	JUB_15_FWN	0.01	0.5	0.04	Yes
New Cobar	28/10/2023	CH 10050_INC	0.66	0.41	0.46	Yes
New Cobar	28/10/2023	JUB_15_FWN	0.01	0.47	0.05	Yes
Peak	29/10/2023	CRS_9770_INC	0.02	0.42	0.17	Yes
New Cobar	29/10/2023	JUB_21_NTH_395	0.12	4.52	0.98	Yes
Peak	29/10/2023	S4U_9161_705_465	No Trigger	No Trigger	No Trigger	Yes

OCTOBER 2023

Location	Sampled & Received	ID	New Occidental (mm/s)	Fort Bourke (mm/s)	Dellavale (mm/s)	Complies
New Cobar	30/10/2023	JUB_15_FWN	0.01	0.57	0.04	Yes

4.6 Haulage Movements

PGM is required to monitor the number of truck loads undertaken from New Cobar to the Peak site as per current consent conditions. In the month of October, 775 truckloads were permitted to be delivered to Peak Gold Mine. In total, 0 truckloads were completed. Table 7 shows a summary of the trucking for the month.

Table 7: Haulage Summary

lable 1: Hat	liage Summary
Date	Truck Loads
1/10/2023	0
2/10/2023	0
3/10/2023	0
4/10/2023	0
5/10/2023	0
6/10/2023	0
7/10/2023	0
8/10/2023	0
9/10/2023	0
10/10/2023	0
11/10/2023	0
12/10/2023	0
13/10/2023	0
14/10/2023	0
15/10/2023	0
16/10/2023	0
17/10/2023	0
18/10/2023	0
19/10/2023	0
20/10/2023	0
21/10/2023	0
22/10/2023	0
23/10/2023	0
24/10/2023	0
25/10/2023	0
26/10/2023	0
27/10/2023	0
28/10/2023	0
29/10/2023	0
30/10/2023	0
31/10/2023	0
Average	0