

# Environment Protection Licence

Licence - 20095

## Licence Details

Number:	20095
Anniversary Date:	01-July

## Licensee

BIG ISLAND MINING PTY LTD  
 920 MAJORS CREEK  
 MAJORS CREEK NSW 2622

## Premises

DARGUES GOLD MINE  
 MAJORS CREEK ROAD  
 MAJORS CREEK NSW 2622

## Scheduled Activity

Crushing, grinding or separating  
 Mining for minerals

## Fee Based Activity

## Scale

Crushing, grinding or separating	0-30000 T annual processing capacity
Mining for minerals	0-30000 T annual production capacity

## Contact Us

NSW EPA  
 6 Parramatta Square  
 10 Darcy Street  
 PARRAMATTA NSW 2150  
 Phone: 131 555  
 Email: [info@epa.nsw.gov.au](mailto:info@epa.nsw.gov.au)

Locked Bag 5022  
 PARRAMATTA NSW 2124



# Environment Protection Licence

Licence - 20095

<b>INFORMATION ABOUT THIS LICENCE</b>	<b>4</b>
Dictionary	4
Responsibilities of licensee	4
Variation of licence conditions	4
Duration of licence	4
Licence review	4
Fees and annual return to be sent to the EPA	4
Transfer of licence	5
Public register and access to monitoring data	5
<b>1 ADMINISTRATIVE CONDITIONS</b>	<b>6</b>
A1 What the licence authorises and regulates	6
A2 Premises or plant to which this licence applies	6
A3 Information supplied to the EPA	7
<b>2 DISCHARGES TO AIR AND WATER AND APPLICATIONS TO LAND</b>	<b>7</b>
P1 Location of monitoring/discharge points and areas	7
<b>3 LIMIT CONDITIONS</b>	<b>13</b>
L1 Pollution of waters	13
L2 Noise limits	13
L3 Blasting	15
<b>4 OPERATING CONDITIONS</b>	<b>16</b>
O1 Activities must be carried out in a competent manner	16
O2 Maintenance of plant and equipment	16
O3 Dust	16
O4 Effluent application to land	16
O5 Waste management	16
<b>5 MONITORING AND RECORDING CONDITIONS</b>	<b>17</b>
M1 Monitoring records	17
M2 Requirement to monitor concentration of pollutants discharged	17
M3 Testing methods - concentration limits	19
M4 Weather monitoring	20
M5 Recording of pollution complaints	20
M6 Telephone complaints line	21
M7 Requirement to monitor volume or mass	21
M8 Other monitoring and recording conditions	21
<b>6 REPORTING CONDITIONS</b>	<b>21</b>



# Environment Protection Licence

Licence - 20095

R1	Annual return documents .....	21
R2	Notification of environmental harm .....	22
R3	Written report .....	23
<b>7</b>	<b>GENERAL CONDITIONS .....</b>	<b>23</b>
G1	Copy of licence kept at the premises or plant .....	23
G2	Contact number for incidents and responsible employees .....	24
<b>8</b>	<b>POLLUTION STUDIES AND REDUCTION PROGRAMS .....</b>	<b>24</b>
U1	Ambient Water Quality Assessment for the Receiving Waters of the Compensatory Flow Discharge Point .....	24
<b>9</b>	<b>SPECIAL CONDITIONS .....</b>	<b>25</b>
E1	Irrigation of Tailings Storage Facility (TSF) water .....	25
E2	Underground Water Storage Transfer Monitoring and Management Plan .....	26
<b>DICTIONARY .....</b>		<b>27</b>
	General Dictionary .....	27

# Environment Protection Licence

---

Licence - 20095

## Information about this licence

### Dictionary

A definition of terms used in the licence can be found in the dictionary at the end of this licence.

### Responsibilities of licensee

Separate to the requirements of this licence, general obligations of licensees are set out in the Protection of the Environment Operations Act 1997 ("the Act") and the Regulations made under the Act. These include obligations to:

- ensure persons associated with you comply with this licence, as set out in section 64 of the Act;
- control the pollution of waters and the pollution of air (see for example sections 120 - 132 of the Act);
- report incidents causing or threatening material environmental harm to the environment, as set out in Part 5.7 of the Act.

### Variation of licence conditions

The licence holder can apply to vary the conditions of this licence. An application form for this purpose is available from the EPA.

The EPA may also vary the conditions of the licence at any time by written notice without an application being made.

Where a licence has been granted in relation to development which was assessed under the Environmental Planning and Assessment Act 1979 in accordance with the procedures applying to integrated development, the EPA may not impose conditions which are inconsistent with the development consent conditions until the licence is first reviewed under Part 3.6 of the Act.

### Duration of licence

This licence will remain in force until the licence is surrendered by the licence holder or until it is suspended or revoked by the EPA or the Minister. A licence may only be surrendered with the written approval of the EPA.

### Licence review

The Act requires that the EPA review your licence at least every 5 years after the issue of the licence, as set out in Part 3.6 and Schedule 5 of the Act. You will receive advance notice of the licence review.

### Fees and annual return to be sent to the EPA

For each licence fee period you must pay:

- an administrative fee; and
- a load-based fee (if applicable).



# Environment Protection Licence

Licence - 20095

The EPA publication “A Guide to Licensing” contains information about how to calculate your licence fees. The licence requires that an Annual Return, comprising a Statement of Compliance and a summary of any monitoring required by the licence (including the recording of complaints), be submitted to the EPA. The Annual Return must be submitted within 60 days after the end of each reporting period. See condition R1 regarding the Annual Return reporting requirements.

Usually the licence fee period is the same as the reporting period.

## Transfer of licence

The licence holder can apply to transfer the licence to another person. An application form for this purpose is available from the EPA.

## Public register and access to monitoring data

Part 9.5 of the Act requires the EPA to keep a public register of details and decisions of the EPA in relation to, for example:

- licence applications;
- licence conditions and variations;
- statements of compliance;
- load based licensing information; and
- load reduction agreements.

Under s320 of the Act application can be made to the EPA for access to monitoring data which has been submitted to the EPA by licensees.

## This licence is issued to:

<b>BIG ISLAND MINING PTY LTD</b>
<b>920 MAJORS CREEK</b>
<b>MAJORS CREEK NSW 2622</b>

subject to the conditions which follow.

# Environment Protection Licence

Licence - 20095

## 1 Administrative Conditions

### A1 What the licence authorises and regulates

A1.1 This licence authorises the carrying out of the scheduled development work listed below at the premises listed in A2.

There are a number stages to the scheduled development works of which the following stages are authorised by this licence:

∴

Note: All construction timeframes commence with notification of recommencement of the project by the Licensee and are general in nature.

Project Month 1 – 14:

- Ground disturbing activities, including:
  - Topsoil and subsoil stripping and stockpiling.
  - Importing of earth materials for ground conditioning and surface preparation.
  - Excavation and extraction of earth materials for construction and processing.
- Construction of built infrastructure.

Project Month 1 – 3:

- Construction of surface infrastructure including:
  - Administration and mine support buildings.
  - Various workshops and stores sheds.
- Commencement of construction of the Spring Creek Crossing and Waste Rock Emplacement.
- Commencement of underground mining.

Project Month 4 – 14:

- Construction of the Process Plant.
- Construction of Stage 1 of the Tailings Storage Facility.

A1.2 This licence authorises the carrying out of the scheduled activities listed below at the premises specified in A2. The activities are listed according to their scheduled activity classification, fee-based activity classification and the scale of the operation.

Unless otherwise further restricted by a condition of this licence, the scale at which the activity is carried out must not exceed the maximum scale specified in this condition.

Scheduled Activity	Fee Based Activity	Scale
Crushing, grinding or separating	Crushing, grinding or separating	0 - 30000 T annual processing capacity
Mining for minerals	Mining for minerals	0 - 30000 T annual production capacity

### A2 Premises or plant to which this licence applies

# Environment Protection Licence

Licence - 20095

A2.1 The licence applies to the following premises:

Premises Details
DARGUES GOLD MINE
MAJORS CREEK ROAD
MAJORS CREEK
NSW 2622
LOT 1 DP 136801, LOT 2 DP 136801, LOT 104 DP 1100849, LOT 102 DP 1170553, LOT 103 DP 1170553, LOT 105 DP 1170553, LOT 106 DP 1170553, LOT 104 DP 1180508
DARGUES REEF GOLD MINE.

## A3 Information supplied to the EPA

A3.1 Works and activities must be carried out in accordance with the proposal contained in the licence application, except as expressly provided by a condition of this licence.

In this condition the reference to "the licence application" includes a reference to:

- a) the applications for any licences (including former pollution control approvals) which this licence replaces under the Protection of the Environment Operations (Savings and Transitional) Regulation 1998; and
- b) the licence information form provided by the licensee to the EPA to assist the EPA in connection with the issuing of this licence.

## 2 Discharges to Air and Water and Applications to Land

### P1 Location of monitoring/discharge points and areas

P1.1 The following points referred to in the table below are identified in this licence for the purposes of monitoring and/or the setting of limits for the emission of pollutants to the air from the point.

<i>Air</i>			
EPA identification no.	Type of Monitoring Point	Type of Discharge Point	Location Description
38	Dust Deposition Gauge		At the location marked "DD-1" on the map labelled "Figure 1.4 Surrounding Residences and Air Quality Monitoring Locations" of the "EPL 20095 Sampling Locations for Dargues Gold Mine" for the premises dated 16 July 2021 (EPA reference DOC21/878618)

# Environment Protection Licence

Licence - 20095

39	Dust Deposition Gauge	At the location marked "DD-2" on the map labelled "Figure 1.4 Surrounding Residences and Air Quality Monitoring Locations" of the "EPL 20095 Sampling Locations for Dargues Gold Mine" for the premises dated 16 July 2021 (EPA reference DOC21/878618)
40	Dust Deposition Gauge	At the location marked "DD-3" on the map labelled "Figure 1.4 Surrounding Residences and Air Quality Monitoring Locations" of the "EPL 20095 Sampling Locations for Dargues Gold Mine" for the premises dated 16 July 2021 (EPA reference DOC21/878618)
41	Dust Deposition Gauge	At the location marked "DD-4" on the map labelled "Figure 1.4 Surrounding Residences and Air Quality Monitoring Locations" of the "EPL 20095 Sampling Locations for Dargues Gold Mine" for the premises dated 16 July 2021 (EPA reference DOC21/878618)
42	Dust Deposition Gauge	At the location marked "DD-5" on the map labelled "Figure 1.4 Surrounding Residences and Air Quality Monitoring Locations" of the "EPL 20095 Sampling Locations for Dargues Gold Mine" for the premises dated 16 July 2021 (EPA reference DOC21/878618)

P1.2 The following utilisation areas referred to in the table below are identified in this licence for the purposes of the monitoring and/or the setting of limits for any application of solids or liquids to the utilisation area.

P1.3 The following points referred to in the table are identified in this licence for the purposes of the monitoring and/or the setting of limits for discharges of pollutants to water from the point.

### *Water and land*

EPA Identification no.	Type of Monitoring Point	Type of Discharge Point	Location Description
48	Groundwater Monitoring - Alluvium		At the location marked "DRWB06" as located on the map labelled "Figure 1.3 Project Site Groundwater Monitoring Locations" of the "EPL 20095 Sampling Locations for Dargues Gold Mine" for the premises dated 16 July 2021 (EPA reference DOC21/878618)

# Environment Protection Licence

Licence - 20095

49	Groundwater Monitoring - Alluvium	At the location marked "DRWB07" as located on the map labelled "Figure 1.3 Project Site Groundwater Monitoring Locations" of the "EPL 20095 Sampling Locations for Dargues Gold Mine" for the premises dated 16 July 2021 (EPA reference DOC21/878618)
50	Groundwater Monitoring - Alluvium	At the location marked "DRWB08" as located on the map labelled "Figure 1.3 Project Site Groundwater Monitoring Locations" of the "EPL 20095 Sampling Locations for Dargues Gold Mine" for the premises dated 16 July 2021 (EPA reference DOC21/878618)
51	Groundwater Monitoring - Alluvium	At the location marked "DRWB09" as located on the map labelled "Figure 1.3 Project Site Groundwater Monitoring Locations" of the "EPL 20095 Sampling Locations for Dargues Gold Mine" for the premises dated 16 July 2021 (EPA reference DOC21/878618)
52	Groundwater Monitoring - Alluvium	At the location marked "DRWB10" as located on the map labelled "Figure 1.3 Project Site Groundwater Monitoring Locations" of the "EPL 20095 Sampling Locations for Dargues Gold Mine" for the premises dated 16 July 2021 (EPA reference DOC21/878618)
53	Water Quality Monitoring - Spring Creek Upstream	At the location marked "SW-1" as located on the map labelled "Figure 1.2 Site Surface Water Monitoring Locations" of the "EPL 20095 Sampling Locations for Dargues Gold Mine" for the premises dated 16 July 2021 (EPA reference DOC21/878618)
54	Water Volume and Quality Monitoring - Spring Creek Onsite	At the location marked "SW-2" as located on the map labelled "Figure 1.2 Site Surface Water Monitoring Locations" of the "EPL 20095 Sampling Locations for Dargues Gold Mine" for the premises dated 16 July 2021 (EPA reference DOC21/878618)
55	Water Quality Monitoring - Spring Creek Downstream	At the location marked "SW-3" as located on the map labelled "Figure 1.2 Site Surface Water Monitoring Locations" of the "EPL 20095 Sampling Locations for Dargues Gold Mine" for the premises dated 16 July 2021 (EPA reference DOC21/878618)

# Environment Protection Licence

Licence - 20095

56	Water Volume and Quality Monitoring - Majors Creek Upstream	At the location marked "SW-4" as located on the map labelled "Figure 1.2 Site Surface Water Monitoring Locations" of the "EPL 20095 Sampling Locations for Dargues Gold Mine" for the premises dated 16 July 2021 (EPA reference DOC21/878618)
57	Water Quality Monitoring - Majors Creek	At the location marked "SW-5" as located on the map labelled "Figure 1.2 Site Surface Water Monitoring Locations" of the "EPL 20095 Sampling Locations for Dargues Gold Mine" for the premises dated 16 July 2021 (EPA reference DOC21/878618)
58	Water Volume and Quality Monitoring - Majors Creek Downstream	At the location marked "SW-6" as located on the map labelled "Figure 1.2 Site Surface Water Monitoring Locations" of the "EPL 20095 Sampling Locations for Dargues Gold Mine" for the premises dated 16 July 2021 (EPA reference DOC21/878618)
61	Groundwater Monitoring - Alluvium	At the location marked as "DRWB12" as located in the map labelled "Figure 1.3 Project Site Groundwater Monitoring Locations" of the "EPL 20095 Sampling Locations for Dargues Gold Mine" for the premises dated 16 July 2021 (EPA reference DOC21/878618)
62	Groundwater Monitoring - Granodiorite Aquifer	At the location marked as "DRWB13" as located in the map labelled "Figure 1.3 Project Site Groundwater Monitoring Locations" of the "EPL 20095 Sampling Locations for Dargues Gold Mine" for the premises dated 16 July 2021 (EPA reference DOC21/878618)
74	Water Quality Monitoring - Spillway of Sediment Basin 2	At the location marked "SB02-1" as located on the map labelled "Figure 1.2 Site Surface Water Monitoring Locations" of the "EPL 20095 Sampling Locations for Dargues Gold Mine" for the premises dated 16 July 2021 (EPA reference DOC21/878618)
75	Water Quality Monitoring - Spillway of Storm Water Pond 1	At the location marked "SWPO1-1" as located on the map labelled "Figure 1.2 Site Surface Water Monitoring Locations" of the "EPL 20095 Sampling Locations for Dargues Gold Mine" for the premises dated 16 July 2021 (EPA reference DOC21/878618)

# Environment Protection Licence

Licence - 20095

78	Water Quality Monitoring - Waste Rock Emplacement Sediment Basin 1	At the location marked "WRESB01-1" as located on the map labelled "Figure 1.2 Site Surface Water Monitoring Locations" of the "EPL 20095 Sampling Locations for Dargues Gold Mine" for the premises dated 16 July 2021 (EPA reference DOC21/878618)
79	Tailings Storage Facility Monitoring Bore	At the location marked "TSFMB01A" as located on the map labelled "Figure 1.3 Project Site Groundwater Monitoring Locations" of the "EPL 20095 Sampling Locations for Dargues Gold Mine" for the premises dated 16 July 2021 (EPA reference DOC21/878618)
80	Tailings Storage Facility Monitoring Bore	At the location marked "TSFMB01B" as located on the map labelled "Figure 1.3 Project Site Groundwater Monitoring Locations" of the "EPL 20095 Sampling Locations for Dargues Gold Mine" for the premises dated 16 July 2021 (EPA reference DOC21/878618)
81	Tailings Storage Facility Monitoring Bore	At the location marked "TSFMB02A" as located on the map labelled "Figure 1.3 Project Site Groundwater Monitoring Locations" of the "EPL 20095 Sampling Locations for Dargues Gold Mine" for the premises dated 16 July 2021 (EPA reference DOC21/878618)
82	Tailings Storage Facility Monitoring Bore	At the location marked "TSFMB02B" as located on the map labelled "Figure 1.3 Project Site Groundwater Monitoring Locations" of the "EPL 20095 Sampling Locations for Dargues Gold Mine" for the premises dated 16 July 2021 (EPA reference DOC21/878618)
83	Tailings Storage Facility Monitoring Bore	At the location marked "TSFMB03A" as located on the map labelled "Figure 1.3 Project Site Groundwater Monitoring Locations" of the "EPL 20095 Sampling Locations for Dargues Gold Mine" for the premises dated 16 July 2021 (EPA reference DOC21/878618)

# Environment Protection Licence

Licence - 20095

84	Tailings Storage Facility Monitoring Bore	At the location marked "TSFMB03B" as located on the map labelled "Figure 1.3 Project Site Groundwater Monitoring Locations" of the "EPL 20095 Sampling Locations for Dargues Gold Mine" for the premises dated 16 July 2021 (EPA reference DOC21/878618)
85	Tailings Storage Facility Monitoring Bore	At the location marked "TSFMB04A" as located on the map labelled "Figure 1.3 Project Site Groundwater Monitoring Locations" of the "EPL 20095 Sampling Locations for Dargues Gold Mine" for the premises dated 16 July 2021 (EPA reference DOC21/878618)
86	Tailings Storage Facility Monitoring Bore	At the location marked "TSFMB04B" as located on the map labelled "Figure 1.3 Project Site Groundwater Monitoring Locations" of the "EPL 20095 Sampling Locations for Dargues Gold Mine" for the premises dated 16 July 2021 (EPA reference DOC21/878618)
87	Tailings Storage Facility Monitoring Bore	At the location marked "TSFMB05A" as located on the map labelled "Figure 1.3 Project Site Groundwater Monitoring Locations" of the "EPL 20095 Sampling Locations for Dargues Gold Mine" for the premises dated 16 July 2021 (EPA reference DOC21/878618)
88	Tailings Storage Facility Monitoring Bore	At the location marked "TSFMB05B" as located on the map labelled "Figure 1.3 Project Site Groundwater Monitoring Locations" of the "EPL 20095 Sampling Locations for Dargues Gold Mine" for the premises dated 16 July 2021 (EPA reference DOC21/878618)
90	Water Quality Monitoring - Tailings Storage Facility	At the location marked "TSF" as located on the map labelled "Figure 1" of the document titled "Dargues Irrigation Monitoring Map" for the premises dated 13 October 2022 (EPA reference DOC22/915548)
91	Groundwater monitoring - TSF Irrigation Area	At the location marked "WSDMB01" as located on the map labelled "Figure 1" of the document titled "Dargues Irrigation Monitoring Map" for the premises dated 13 October 2022 (EPA reference DOC22/915548)

# Environment Protection Licence

Licence - 20095

92	Groundwater Monitoring - TSF Irrigation Area		At the location marked "WSDMB02" as located on the map labelled "Figure 1" of the document titled "Dargues Irrigation Monitoring Map" for the premises dated 13 October 2022 (EPA reference DOC22/915548)
93	TSF irrigation volume monitoring		At the marked "Irrigation zone" located on the map on Page 55 of the "Water Management Plan, Revision 10" dated 4 May 2022" (DOC25/1083526).
94	Discharge to land	Discharge to land	At the marked "Irrigation zone" located on the map on Page 55 of the "Water Management Plan, Revision 10" dated 4 May 2022" (DOC25/1083526).
95		Discharge to Underground Mine Void	Identified by Point 95 of map saved under CM Reference DOC26/88725

P1.4 The following points referred to in the table below are identified in this licence for the purposes of weather and/or noise monitoring and/or setting limits for the emission of noise from the premises.

### *Noise/Weather*

EPA identification no.	Type of monitoring point	Location description
43	Noise monitoring	Any residential premises
44	Noise monitoring	Majors Creek State Conservation Area (when in use by any person)

## 3 Limit Conditions

### L1 Pollution of waters

L1.1 Except as may be expressly provided in any other condition of this licence, the licensee must comply with section 120 of the Protection of the Environment Operations Act 1997.

### L2 Noise limits

L2.1 Noise from the premises must not exceed the sound pressure level (noise) limits presented in the Table below. Note that the limits apply to the operation of the project and represent the sound pressure level (noise) contribution, at the nominated receiver locations in the table.

#### Sound Pressure Level (Noise) Limits (dB(A))

# Environment Protection Licence

Licence - 20095

Location	Day LAeq(15 minute)	Evening LAeq(15 minute)	Night LAeq(15 minute)	Night LA1(1 minute)
Any residential premises	35	35	35	45
Majors Creek State Conservation Area (when in use by any person)	35	35	35	45

L2.2 For the purpose of Noise Limit Conditions above:

'Day' is defined as the period from 7am to 6pm Monday to Saturday and 8am to 6pm Sunday and Public Holidays;

'Evening' is defined as the period from 6pm to 10pm on any day; and

'Night' is defined as the period from 10pm to 7am Monday to Saturday and 10pm to 8am Sunday and Public Holidays.

L2.3 The noise emission limits identified in the table above apply under meteorological conditions of:

- Wind speeds up to 3 m/s at 10m above ground level; or
- temperature inversion conditions of up to 3 °C/100m and wind speeds up to 2 m/s at 10m above ground level

L2.4 For the purpose of the Condition L4.3:

- The meteorological data to be used for determining meteorological conditions is the data recorded by the meteorological weather station established at the premises for the purposes of this Environment Protection Licence ("Point 59" as outlined in Weather Monitoring conditions below)
- Stability category temperature inversion conditions are to be determined by the sigma-theta method referred to in Part E4 of Appendix E to the *New South Wales Industrial Noise Policy* (EPA 2000).

L2.5 **Determining Compliance**

To determine compliance:

- with the Leq(15 minute) noise limits in the Noise Limits table, the noise measurement equipment must be located:
  - approximately on the property boundary, where any dwelling is situated 30 metres or less from the property boundary closest to the premises; or
  - within 30 metres of a dwelling façade, but not closer than 3m, where any dwelling on the property is situated more than 30 metres from the property boundary closest to the premises; or, where applicable
  - within approximately 50 metres of the boundary of a National Park, Nature Reserve or State Conservation Area.
- with the LA1(1 minute) noise limits in the Noise Limits table, the noise measurement equipment must be located within 1 metre of a dwelling façade.
- with the noise limits in the Noise Limits table, the noise measurement equipment must be located:
  - at the most affected point at a location where there is no dwelling at the location; or
  - at the most affected point within an area at a location prescribed by part (a) or part (b) of this condition.

L2.6 For the purposes of determining the noise generated at the premises the modification factors in Section 4 of

# Environment Protection Licence

Licence - 20095

the NSW Industrial Noise Policy must be applied, as appropriate, to the noise levels measured by the noise monitoring equipment.

- L2.7 A breach of this licence will still occur where noise generated from the premises in excess of the appropriate limit is measured:
- i) at a location other than an area prescribed in part (a) and part (b) of Condition L4.5; and/or
  - ii) at a point other than the most affected point at a location.

## L3 Blasting

- L3.1 Surface blasting operations at the premises may only take place between 9.00am and 5.00pm Monday to Friday, excluding public holidays.

(Where compelling safety reasons exist, the Authority may permit a blast to occur outside the abovementioned hours. Prior written (or facsimile) request for any such blast must be made to the Authority).

- L3.2 The overpressure level from blasting operations at the premises must not exceed 120 dB (Lin Peak) at any time. Error margins associated with any monitoring equipment used to measure this are not to be taken into account in determining whether or not the limit has been exceeded.
- L3.3 The overpressure level from blasting operations at the premises must not exceed 115 dB (Lin Peak) for more than 5% of the total number of blasts over each reporting period. Error margins associated with any monitoring equipment used to measure this are not to be taken into account in determining whether or not the limit has been exceeded.
- L3.4 Ground vibration peak particle velocity from the blasting operations at the premises must not exceed 10 mm/s at any time or 1 mm/s during the Night or at anytime on Sundays or Public Holidays. Error margins associated with any monitoring equipment used to measure this are not to be taken into account in determining whether or not the limit has been exceeded.
- L3.5 Ground vibration peak particle velocity from the blasting operations at the premises must not exceed 5 mm/s during the Day or 2 mm/s during the Evening for more than 5% of the total number of blasts over for each reporting period. Error margins associated with any monitoring equipment used to measure this are not to be taken into account in determining whether or not the limit has been exceeded.
- L3.6 To determine compliance with condition(s) L3.2 to L3.5:
- a) airblast overpressure and ground vibration must be measured and electronically recorded at the locations marked as "R27", "R29" and "R108" on the map labelled "Figure 1 ENVIRONMENTAL MONITORING LOCATIONS" of the Environmental Management Strategy for the premises dated 3 April 2012 (EPA reference DOC12/14651) for all blasts carried out in or on the premises; and
  - b) Instrumentation used to measure the airblast overpressure and ground vibration must meet the requirements of Australian Standard AS 2187.2-2006.

- L3.7 For the purpose of Blasting Limit Conditions above:

'Day' is defined as the period from 7am to 6pm Monday to Saturday;

'Evening' is defined as the period from 6pm to 10pm on any day; and

# Environment Protection Licence

---

Licence - 20095

'Night' is defined as the period from 10pm to 7am Monday to Saturday.

## 4 Operating Conditions

### O1 Activities must be carried out in a competent manner

O1.1 Licensed activities must be carried out in a competent manner.

This includes:

- a) the processing, handling, movement and storage of materials and substances used to carry out the activity; and
- b) the treatment, storage, processing, reprocessing, transport and disposal of waste generated by the activity.

### O2 Maintenance of plant and equipment

O2.1 All plant and equipment installed at the premises or used in connection with the licensed activity:

- a) must be maintained in a proper and efficient condition; and
- b) must be operated in a proper and efficient manner.

### O3 Dust

O3.1 All operations and activities occurring at the premises must be carried out in a manner that will minimise the emission of dust from the premises.

### O4 Effluent application to land

O4.1 Wastewater application must not occur in a manner that causes surface runoff.

O4.2 Spray from wastewater application must not drift beyond the boundary of the premises.

O4.3 Irrigation of wastewater must not be carried out within 20 meters from a water course or 20 meters of any drainage line.

O4.4 The quantity of wastewater applied to the utilisation area must not exceed the capacity of the area to effectively utilise the wastewater. For the purpose of this condition, 'effectively utilise' includes the use of wastewater for pasture or crop production, as well as the ability of the soil to absorb the nutrient, salt, hydraulic load and organic material.

### O5 Waste management

O5.1 The tailings storage facility must have a basal barrier or impermeable liner with an equivalent permeability of 600mm clay of permeability  $1 \times 10^{-8}$  metres per second.

# Environment Protection Licence

Licence - 20095

- O5.2 The seepage collection pond, leachate collection ponds, processing collection ponds and any other ponds holding contaminated water must have a basal barrier or impermeable liner with an equivalent permeability of 900mm clay of permeability  $1 \times 10^{-9}$  metres per second.

## 5 Monitoring and Recording Conditions

### M1 Monitoring records

- M1.1 The results of any monitoring required to be conducted by this licence or a load calculation protocol must be recorded and retained as set out in this condition.
- M1.2 All records required to be kept by this licence must be:
- in a legible form, or in a form that can readily be reduced to a legible form;
  - kept for at least 4 years after the monitoring or event to which they relate took place; and
  - produced in a legible form to any authorised officer of the EPA who asks to see them.
- M1.3 The following records must be kept in respect of any samples required to be collected for the purposes of this licence:
- the date(s) on which the sample was taken;
  - the time(s) at which the sample was collected;
  - the point at which the sample was taken; and
  - the name of the person who collected the sample.

### M2 Requirement to monitor concentration of pollutants discharged

- M2.1 For each monitoring/discharge point or utilisation area specified below (by a point number), the licensee must monitor (by sampling and obtaining results by analysis) the concentration of each pollutant specified in Column 1. The licensee must use the sampling method, units of measure, and sample at the frequency, specified opposite in the other columns:

#### M2.2 Air Monitoring Requirements

**POINT 38,39,40,41,42**

Pollutant	Units of measure	Frequency	Sampling Method
Particulates - Deposited Matter	grams per square metre per month	Monthly	AM-19

#### M2.3 Water and/ or Land Monitoring Requirements

**POINT 48,49,50,51,52,53,54,55,56,57,58,61,62,79,80,81,82,83,84,85,86,87,88,91,92**

# Environment Protection Licence

Licence - 20095

Pollutant	Units of measure	Frequency	Sampling Method
Dissolved Oxygen	milligrams per litre	Monthly	Probe
Electrical conductivity	microsiemens per centimetre	Monthly	Probe
pH	pH	Monthly	Probe

## POINT 48,49,50,51,52,61,62,79,80,81,82,83,84,85,86,87,88,91,92

Pollutant	Units of measure	Frequency	Sampling Method
Aluminium	micrograms per litre	Quarterly	Representative sample
Arsenic	micrograms per litre	Quarterly	Representative sample
Cadmium	micrograms per litre	Quarterly	Representative sample
Calcium	milligrams per litre	Quarterly	Representative sample
Chloride	milligrams per litre	Quarterly	Representative sample
Chromium	micrograms per litre	Quarterly	Representative sample
Cobalt	micrograms per litre	Quarterly	Representative sample
Iron	micrograms per litre	Quarterly	Representative sample
Lead	micrograms per litre	Quarterly	Representative sample
Magnesium	micrograms per litre	Quarterly	Representative sample
Manganese	micrograms per litre	Quarterly	Representative sample
Mercury	micrograms per litre	Quarterly	Representative sample
Nickel	micrograms per litre	Quarterly	Representative sample
Nitrate + nitrite (oxidised nitrogen)	milligrams per litre	Quarterly	Representative sample
Phosphorus (dissolved reactive)	milligrams per litre	Quarterly	Representative sample
Phosphorus (total)	milligrams per litre	Quarterly	Representative sample
Potassium	milligrams per litre	Quarterly	Representative sample
Redox potential	millivolts	Quarterly	Representative sample
Sodium	milligrams per litre	Quarterly	Representative sample
Sulfate	milligrams per litre	Quarterly	Representative sample
Temperature	degrees Celsius	Quarterly	Probe
Total Kjeldahl Nitrogen	milligrams per litre	Quarterly	Representative sample
Zinc	micrograms per litre	Quarterly	Representative sample

## POINT 53,54,55,56,57,58,90

Pollutant	Units of measure	Frequency	Sampling Method
Alkalinity (as calcium carbonate)	milligrams per litre	Monthly	Representative sample
Aluminium	micrograms per litre	Monthly	Representative sample
Arsenic	micrograms per litre	Monthly	Representative sample
Cadmium	micrograms per litre	Monthly	Representative sample
Calcium	milligrams per litre	Monthly	Representative sample
Chloride	milligrams per litre	Monthly	Representative sample
Chromium (hexavalent)	micrograms per litre	Monthly	Representative sample

# Environment Protection Licence

Licence - 20095

Cobalt	micrograms per litre	Monthly	Representative sample
Iron	micrograms per litre	Monthly	Representative sample
Lead	micrograms per litre	Monthly	Representative sample
Magnesium	micrograms per litre	Monthly	Representative sample
Manganese	micrograms per litre	Monthly	Representative sample
Mercury	micrograms per litre	Monthly	Representative sample
Nickel	micrograms per litre	Monthly	Representative sample
Nitrate + nitrite (oxidised nitrogen)	milligrams per litre	Monthly	Representative sample
Phosphorus (dissolved reactive)	milligrams per litre	Monthly	Representative sample
Phosphorus (total)	milligrams per litre	Monthly	Representative sample
Potassium	milligrams per litre	Monthly	Representative sample
Redox potential	millivolts	Monthly	Representative sample
Sodium	milligrams per litre	Monthly	Representative sample
Sulfate	milligrams per litre	Monthly	Representative sample
Temperature	degrees Celsius	Monthly	Probe
Total Kjeldahl Nitrogen	milligrams per litre	Monthly	Representative sample
Total suspended solids	milligrams per litre	Monthly	Representative sample
Zinc	micrograms per litre	Monthly	Representative sample

## POINT 74,75,78

Pollutant	Units of measure	Frequency	Sampling Method
Electrical conductivity	microsiemens per centimetre	Daily during any discharge	Probe
pH	pH	Daily during any discharge	Probe
Total suspended solids	milligrams per litre	Daily during any discharge	Probe
Turbidity	nephelometric turbidity units	Daily during any discharge	Probe

## M3 Testing methods - concentration limits

M3.1 Monitoring for the concentration of a pollutant emitted to the air required to be conducted by this licence must be done in accordance with:

- any methodology which is required by or under the Act to be used for the testing of the concentration of the pollutant; or
- if no such requirement is imposed by or under the Act, any methodology which a condition of this licence requires to be used for that testing; or
- if no such requirement is imposed by or under the Act or by a condition of this licence, any methodology approved in writing by the EPA for the purposes of that testing prior to the testing taking place.

Note: The *Protection of the Environment Operations (Clean Air) Regulation 2022* requires testing for certain

# Environment Protection Licence

Licence - 20095

purposes to be conducted in accordance with test methods contained in the publication "Approved Methods for the Sampling and Analysis of Air Pollutants in NSW".

M3.2 Subject to any express provision to the contrary in this licence, monitoring for the concentration of a pollutant discharged to waters or applied to a utilisation area must be done in accordance with the Approved Methods Publication unless another method has been approved by the EPA in writing before any tests are conducted.

## M4 Weather monitoring

M4.1 The meteorological weather station must be maintained so as to be capable of continuously monitoring the parameters specified in this section.

M4.2 For each monitoring point specified below (by a point number), the licensee must monitor (by sampling and obtaining results by analysis) the parameters specified in Column 1. The licensee must use the sampling method, units of measure, averaging period and sample at the frequency opposite in the other columns.

Point 58 - Automated Weather Station

Parameter	Units of Measure	Frequency	Averaging Period	Sampling Method
Air temperature at 2m	°C	Continuous	15 minute	AM-4
Wind direction	°	Continuous	15 minute	AM-2 & AM-4
Wind speed	m/s	Continuous	15 minute	AM-2 & AM-4
Sigma theta	°	Continuous	15 minute	AM-2 & AM-4
Rainfall	mm	Continuous	15 minute	AM-4
Relative humidity	%	Continuous	15 minute	AM-4
Air temperature at 10m	°C	Continuous	15 minute	AM-2 & AM-4

## M5 Recording of pollution complaints

M5.1 The licensee must keep a legible record of all complaints made to the licensee or any employee or agent of the licensee in relation to pollution arising from any activity to which this licence applies.

M5.2 The record must include details of the following:

- the date and time of the complaint;
- the method by which the complaint was made;
- any personal details of the complainant which were provided by the complainant or, if no such details were provided, a note to that effect;
- the nature of the complaint;
- the action taken by the licensee in relation to the complaint, including any follow-up contact with the complainant; and
- if no action was taken by the licensee, the reasons why no action was taken.

M5.3 The record of a complaint must be kept for at least 4 years after the complaint was made.

# Environment Protection Licence

Licence - 20095

M5.4 The record must be produced to any authorised officer of the EPA who asks to see them.

## M6 Telephone complaints line

M6.1 The licensee must operate during its operating hours a telephone complaints line for the purpose of receiving any complaints from members of the public in relation to activities conducted at the premises or by the vehicle or mobile plant, unless otherwise specified in the licence.

M6.2 The licensee must notify the public of the complaints line telephone number and the fact that it is a complaints line so that the impacted community knows how to make a complaint.

M6.3 The preceding two conditions do not apply until after the date of the issue of this licence.

## M7 Requirement to monitor volume or mass

M7.1 For each discharge point or utilisation area specified below, the licensee must monitor:

- a) the volume of liquids discharged to water or applied to the area;
- b) the mass of solids applied to the area;
- c) the mass of pollutants emitted to the air;

at the frequency and using the method and units of measure, specified below.

POINT 93

Frequency	Unit of Measure	Sampling Method
Weekly	litres	Special Method 1

M7.2 For the purposes of the table(s) above Special Method 1 means to monitor with a Mechanical flow meter.

## M8 Other monitoring and recording conditions

### Noise Compliance Monitoring

M8.1 A noise compliance assessment must be submitted to the EPA within three months of commencement of operations at the premises. The assessment shall be prepared by a suitably qualified and experienced acoustic consultant and must assess compliance with noise limits in this licence.

## 6 Reporting Conditions

### R1 Annual return documents

R1.1 The licensee must complete and supply to the EPA an Annual Return in the approved form comprising:

# Environment Protection Licence

Licence - 20095

1. a Statement of Compliance,
2. a Monitoring and Complaints Summary,
3. a Statement of Compliance - Licence Conditions,
4. a Statement of Compliance - Load based Fee,
5. a Statement of Compliance - Requirement to Prepare Pollution Incident Response Management Plan,
6. a Statement of Compliance - Requirement to Publish Pollution Monitoring Data; and
7. a Statement of Compliance - Environmental Management Systems and Practices.

At the end of each reporting period, the EPA will provide to the licensee notification that the Annual Return is due.

R1.2 An Annual Return must be prepared in respect of each reporting period, except as provided below.

Note: The term "reporting period" is defined in the dictionary at the end of this licence. Do not complete the Annual Return until after the end of the reporting period.

R1.3 Where this licence is transferred from the licensee to a new licensee:

- a) the transferring licensee must prepare an Annual Return for the period commencing on the first day of the reporting period and ending on the date the application for the transfer of the licence to the new licensee is granted; and
- b) the new licensee must prepare an Annual Return for the period commencing on the date the application for the transfer of the licence is granted and ending on the last day of the reporting period.

Note: An application to transfer a licence must be made in the approved form for this purpose.

R1.4 Where this licence is surrendered by the licensee or revoked by the EPA or Minister, the licensee must prepare an Annual Return in respect of the period commencing on the first day of the reporting period and ending on:

- a) in relation to the surrender of a licence - the date when notice in writing of approval of the surrender is given; or
- b) in relation to the revocation of the licence - the date from which notice revoking the licence operates.

R1.5 The Annual Return for the reporting period must be supplied to the EPA via eConnect *EPA* or by registered post not later than 60 days after the end of each reporting period or in the case of a transferring licence not later than 60 days after the date the transfer was granted (the 'due date').

R1.6 The licensee must retain a copy of the Annual Return supplied to the EPA for a period of at least 4 years after the Annual Return was due to be supplied to the EPA.

R1.7 Within the Annual Return, the Statements of Compliance must be certified and the Monitoring and Complaints Summary must be signed by:

- a) the licence holder; or
- b) by a person approved in writing by the EPA to sign on behalf of the licence holder.

## R2 Notification of environmental harm

R2.1 Notifications must be made by telephoning the Environment Line service on 131 555.

# Environment Protection Licence

Licence - 20095

Note: The licensee or its employees must notify all relevant authorities of incidents causing or threatening material harm to the environment immediately after the person becomes aware of the incident in accordance with the requirements of Part 5.7 of the Act.

R2.2 The licensee must provide written details of the notification to the EPA within 7 days of the date on which they became aware of the incident.

## R3 Written report

R3.1 Where an authorised officer of the EPA suspects on reasonable grounds that:

- a) where this licence applies to premises, an event has occurred at the premises; or
- b) where this licence applies to vehicles or mobile plant, an event has occurred in connection with the carrying out of the activities authorised by this licence, and the event has caused, is causing or is likely to cause material harm to the environment (whether the harm occurs on or off premises to which the licence applies), the authorised officer may request a written report of the event.

R3.2 The licensee must make all reasonable inquiries in relation to the event and supply the report to the EPA within such time as may be specified in the request.

R3.3 The request may require a report which includes any or all of the following information:

- a) the cause, time and duration of the event;
- b) the type, volume and concentration of every pollutant discharged as a result of the event;
- c) the name, address and business hours telephone number of employees or agents of the licensee, or a specified class of them, who witnessed the event;
- d) the name, address and business hours telephone number of every other person (of whom the licensee is aware) who witnessed the event, unless the licensee has been unable to obtain that information after making reasonable effort;
- e) action taken by the licensee in relation to the event, including any follow-up contact with any complainants;
- f) details of any measure taken or proposed to be taken to prevent or mitigate against a recurrence of such an event; and
- g) any other relevant matters.

R3.4 The EPA may make a written request for further details in relation to any of the above matters if it is not satisfied with the report provided by the licensee. The licensee must provide such further details to the EPA within the time specified in the request.

## 7 General Conditions

### G1 Copy of licence kept at the premises or plant

G1.1 A copy of this licence must be kept at the premises to which the licence applies.

G1.2 The licence must be produced to any authorised officer of the EPA who asks to see it.

G1.3 The licence must be available for inspection by any employee or agent of the licensee working at the premises.

# Environment Protection Licence

Licence - 20095

## G2 Contact number for incidents and responsible employees

- G2.1 The licensee must operate 24-hour telephone contact lines for the purpose of enabling the EPA to directly contact one or more representatives of the licensee who can:
- a) respond at all times to incidents relating to the premises; and
  - b) contact the licensee's senior employees or agents authorised at all times to:
    - i) speak on behalf of the licensee; and
    - ii) provide any information or document required under this licence.
- G2.2 The licensee is to inform the EPA in writing of the appointment of any subsequent contact persons, or changes to the person's contact details as soon as practicable and in any event within fourteen days of the appointment or change.

## 8 Pollution Studies and Reduction Programs

### U1 Ambient Water Quality Assessment for the Receiving Waters of the Compensatory Flow Discharge Point

- U1.1 Part 1 - The licensee must prepare an "Ambient Water Quality Assessment for the Receiving Waters of the Compensatory Flow Discharge Point" prior to commissioning of the compensatory flow discharge. The intent of the EPA is to utilise the assessment to develop appropriate water quality performance criteria for compensatory flow discharges to Majors Creek that will achieve environmental objectives and environmental values of Majors Creek.
- U1.2 Part 2 - The assessment must include but not be limited to the following matters:
- Identify the Water Quality Objectives (WQO) for the receiving waters of Majors Creek in accordance with the guideline (<http://www.environment.nsw.gov.au/ieo/index.htm>) and describe the state of Majors Creek and relate this to the relevant WQO to determine whether the WQO are being achieved. Issues to include in the description of the receiving waters may include: specific human uses such as drinking water off-takes; sensitive ecosystems or species conservation values; historic river flow data where available for the receiving waters and monitoring data collected by the licensee.
  - Undertake water quality monitoring of the receiving waters of Majors Creek across a range of flow variability, seasonal variation and weather conditions to determine ambient concentrations of potential pollutants including total suspended solids and electrical conductivity.
  - Provide details of the compensatory flow that are essential for predicting and assessing impacts to Majors Creek, including the quantity and physio-chemical properties of potential water pollutants and the risks they pose to the environment and human health, including the risks they pose to WQO in the ambient waters (as defined at [www.environment.nsw.gov.au/ieo](http://www.environment.nsw.gov.au/ieo)), and using technical criteria derived from the Australian and New Zealand Guidelines for Fresh and Marine Water Quality, ANZECC 2000 (ANZECC Guidelines).
  - Identify the indicators and associated trigger values or criteria for the identified environmental values (sourced from the ANZECC Guidelines).
  - Outline the nature and degree of impact that any proposed discharges will have on the receiving environment. Impacts should be assessed against the relevant ambient water quality outcomes and there should be a demonstration of how the proposal will be designed and operated to: protect the WQO of Majors Creek where the WQO are currently being achieved; and contribute towards achievement of the WQO over time where they are not currently being achieved.
  - Demonstrate how (procedures, controls etc.) water discharged to Majors Creek will ensure the

# Environment Protection Licence

Licence - 20095

ANZECC Guidelines water quality criteria for relevant chemical and non-chemical parameters (particularly electrical conductivity and total suspended solids) are met at the edge of the initial mixing zone of the discharge.

- The EPA acknowledges all previous ambient water quality data collection and assessment work that has been undertaken by the licensee and considers that the previous work should be utilised in the assessment.
- Recommend discharge limits based on the findings of the assessment.

U1.3 Part 3 - Submit the Ambient Water Quality Assessment to the “Manager, South East Region of the EPA” at PO BOX 622 Queanbeyan 2620 OR [Queanbeyan@environment.nsw.gov.au](mailto:Queanbeyan@environment.nsw.gov.au) prior to commissioning of the Compensatory Flow Discharge.

## 9 Special Conditions

### E1 Irrigation of Tailings Storage Facility (TSF) water

E1.1 Prior to the commencement of any irrigation at the premises, the licensee must develop an Irrigation Management Plan (IMP). The IMP must include information on the proposed number and location of soil monitoring sites. The IMP must also include:

- the period for which TFS irrigation is required to manage the rehabilitation process;
- interactions with other options to manage the wastewater such as discharge to the mine void;
- conservative soil moisture triggers with a clear methodology to ensure they are implemented for daily irrigation and for period where weather conditions prevent irrigation;
- clear action-based triggers for water quality monitoring of contaminants of existing analytes identified by the irrigation trial report.
- risk-based framework for water quality analytes from;
  - effluent and catch dams: sodium adsorption ratio, any process chemicals such as constituents of floatation reagents.
  - soils: exchangeable sodium percentage, electrical conductivity, hydraulic conductivity and nitrates at base of the root zone.
- calculation of contaminant loading risk for any analyte that are above irrigation water quality guidelines.
- additional monitoring of effluent quality at time that may increase risk of changed water quality in the TSF such as low water levels, pumping or weather disturbances.
- specific deficit irrigation triggers are set and refined based on soil moisture levels before irrigation, where capacity is left in the soil after irrigation to accept further rainfall without causing runoff or excess percolation.
- there flow control on delivery rates and volumes to ensure stated deficit irrigation triggers are met.
- maintenance of vegetated buffers and drainage lines and water courses.
- Inspections of the irrigation areas to check for changes in permeability. e.g. by noting waterlogging either within the irrigation area or downslope of the irrigation area affected by the clay layer moving water laterally.

# Environment Protection Licence

---

Licence - 20095

- Contingency options are developed for short-term over-irrigation of the lowest risk areas if there is a risk of uncontrolled surface water discharge from the TSF

## **E2 Underground Water Storage Transfer Monitoring and Management Plan**

- E2.1 To ensure that the beneficial use of groundwater at the receiving environment remains protected and unchanged, the licensee must.
1. Establish and implement a Tailings Storage Facility (TSF) and void water quality monitoring program prior to and during water transfer. The void water quality monitoring program must include:
    - a) Sampling of TSF water (prior to transfer);
    - b) Sampling of surrounding groundwater monitoring bores (upgradient and downgradient);
    - c) Frequency of sampling; and
    - d) Locations where sampling/monitoring will occur.
  2. Define trigger values aligned with relevant guidelines.
  3. Develop procedures to ensure and demonstrate that water quality from tailings water is meeting the defined trigger values prior to and during discharge.
  4. Incorporate a response plan to treat water if exceedances are observed or predicted.
  5. Results to be reported in the Annual Review and updated as part of the sites Water Management Plan.

# Environment Protection Licence

Licence - 20095

## Dictionary

### General Dictionary

<b>3DGM [in relation to a concentration limit]</b>	Means the three day geometric mean, which is calculated by multiplying the results of the analysis of three samples collected on consecutive days and then taking the cubed root of that amount. Where one or more of the samples is zero or below the detection limit for the analysis, then 1 or the detection limit respectively should be used in place of those samples
<b>Act</b>	Means the Protection of the Environment Operations Act 1997
<b>activity</b>	Means a scheduled or non-scheduled activity within the meaning of the Protection of the Environment Operations Act 1997
<b>actual load</b>	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009
<b>AM</b>	Together with a number, means an ambient air monitoring method of that number prescribed by the <i>Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales</i> .
<b>AMG</b>	Australian Map Grid
<b>anniversary date</b>	The anniversary date is the anniversary each year of the date of issue of the licence. In the case of a licence continued in force by the Protection of the Environment Operations Act 1997, the date of issue of the licence is the first anniversary of the date of issue or last renewal of the licence following the commencement of the Act.
<b>annual return</b>	Is defined in R1.1
<b>Approved Methods Publication</b>	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009
<b>assessable pollutants</b>	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009
<b>BOD</b>	Means biochemical oxygen demand
<b>CEM</b>	Together with a number, means a continuous emission monitoring method of that number prescribed by the <i>Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales</i> .
<b>COD</b>	Means chemical oxygen demand
<b>composite sample</b>	Unless otherwise specifically approved in writing by the EPA, a sample consisting of 24 individual samples collected at hourly intervals and each having an equivalent volume.
<b>cond.</b>	Means conductivity
<b>environment</b>	Has the same meaning as in the Protection of the Environment Operations Act 1997
<b>environment protection legislation</b>	Has the same meaning as in the Protection of the Environment Administration Act 1991
<b>EPA</b>	Means Environment Protection Authority of New South Wales.
<b>fee-based activity classification</b>	Means the numbered short descriptions in Schedule 1 of the Protection of the Environment Operations (General) Regulation 2009.
<b>general solid waste (non-putrescible)</b>	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997

# Environment Protection Licence

Licence - 20095

<b>flow weighted composite sample</b>	Means a sample whose composites are sized in proportion to the flow at each composites time of collection.
<b>general solid waste (putrescible)</b>	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
<b>grab sample</b>	Means a single sample taken at a point at a single time
<b>hazardous waste</b>	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
<b>licensee</b>	Means the licence holder described at the front of this licence
<b>load calculation protocol</b>	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009
<b>local authority</b>	Has the same meaning as in the Protection of the Environment Operations Act 1997
<b>material harm</b>	Has the same meaning as in section 147 Protection of the Environment Operations Act 1997
<b>MBAS</b>	Means methylene blue active substances
<b>Minister</b>	Means the Minister administering the Protection of the Environment Operations Act 1997
<b>mobile plant</b>	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
<b>motor vehicle</b>	Has the same meaning as in the Protection of the Environment Operations Act 1997
<b>O&amp;G</b>	Means oil and grease
<b>percentile [in relation to a concentration limit of a sample]</b>	Means that percentage [eg.50%] of the number of samples taken that must meet the concentration limit specified in the licence for that pollutant over a specified period of time. In this licence, the specified period of time is the Reporting Period unless otherwise stated in this licence.
<b>plant</b>	Includes all plant within the meaning of the Protection of the Environment Operations Act 1997 as well as motor vehicles.
<b>pollution of waters [or water pollution]</b>	Has the same meaning as in the Protection of the Environment Operations Act 1997
<b>premises</b>	Means the premises described in condition A2.1
<b>public authority</b>	Has the same meaning as in the Protection of the Environment Operations Act 1997
<b>regional office</b>	Means the relevant EPA office referred to in the Contacting the EPA document accompanying this licence
<b>reporting period</b>	For the purposes of this licence, the reporting period means the period of 12 months after the issue of the licence, and each subsequent period of 12 months. In the case of a licence continued in force by the Protection of the Environment Operations Act 1997, the date of issue of the licence is the first anniversary of the date of issue or last renewal of the licence following the commencement of the Act.
<b>restricted solid waste</b>	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
<b>scheduled activity</b>	Means an activity listed in Schedule 1 of the Protection of the Environment Operations Act 1997
<b>special waste</b>	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
<b>TM</b>	Together with a number, means a test method of that number prescribed by the <i>Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales</i> .

# Environment Protection Licence

Licence - 20095

<b>TSP</b>	Means total suspended particles
<b>TSS</b>	Means total suspended solids
<b>Type 1 substance</b>	Means the elements antimony, arsenic, cadmium, lead or mercury or any compound containing one or more of those elements
<b>Type 2 substance</b>	Means the elements beryllium, chromium, cobalt, manganese, nickel, selenium, tin or vanadium or any compound containing one or more of those elements
<b>utilisation area</b>	Means any area shown as a utilisation area on a map submitted with the application for this licence
<b>waste</b>	Has the same meaning as in the Protection of the Environment Operations Act 1997
<b>waste type</b>	Means liquid, restricted solid waste, general solid waste (putrescible), general solid waste (non-putrescible), special waste or hazardous waste
<b>Wellhead</b>	Has the same meaning as in Schedule 1 to the Protection of the Environment Operations (General) Regulation 2021.

Mr Julian Thompson

Environment Protection Authority

(By Delegation)

Date of this edition: 18-May-2012

# Environment Protection Licence

Licence - 20095

## End Notes

2	Licence varied by notice	1506973 issued on 25-Jun-2012
3	Licence fee period changed by notice	1506998 on 27-Jun-2012
4	Licence varied by notice	1515231 issued on 18-Jul-2013
5	Licence varied by notice	1517039 issued on 13-Sep-2013
6	Licence varied by notice	1521947 issued on 23-May-2014
7	Licence varied by notice	1549033 issued on 28-Apr-2017
8	Licence varied by notice	1564247 issued on 02-May-2018
9	Licence varied by notice	1568317 issued on 27-Aug-2018
10	Licence varied by notice	1570903 issued on 16-Nov-2018
11	Licence varied by notice	1577699 issued on 18-Jun-2019
12	Licence varied by notice	1588863 issued on 09-Dec-2019
13	Licence varied by notice	1591280 issued on 12-Mar-2020
14	Licence varied by notice	1611449 issued on 06-Dec-2021
15	Licence varied by notice	1618077 issued on 24-Aug-2022
16	Licence varied by notice	1623000 issued on 28-Oct-2022
17	Licence varied by notice	1628915 issued on 19-May-2023
18	Licence varied by notice	1629693 issued on 13-Jun-2023
19	Licence varied by notice	1638541 issued on 25-Jun-2024
20	Licence varied by notice	1650222 issued on 26-Aug-2025
21	Licence varied by notice	1653865 issued on 14-Jan-2026
22	Licence varied by notice	1656289 issued on 16-Feb-2026